

Code: LE-606724

SWITCH DISCONNECTOR WITH FUSE **LE-606724** THREE-PHASE 16 A D01 LEGRAND

Net: **46.14 EUR** Gross: **56.75 EUR**



Switch disconnectors without fuse links - provide an insulation break and allow to choose the appropriate fuse links depending on the needs. The devices are equipped with dummy fuse links AD01. The LE-606724 switch disconnecter is compatible to TH-35 rail mounting system.

WARNING! The device requires the installation of fuse-link D01 type (available separately) with a rated current not exceeding 16A.

SPECIFICATION

Device type:	Three-phase
Rated current:	16 A
Number of poles:	3
Rated voltage:	400 V AC
Rated insulation voltage:	500 V
Rated impulse withstand voltage:	6000 V
Fusing characteristics:	—
Type (size):	D01
Breaking capacity:	50000 A AC
Connectors type:	cable terminals
Wire gauge:	2.5 ... 25 mm ²
Environment class:	II
Housing:	Plastic, TH-35 rail mounting
Width in 17.5 mm modules:	4.5
Operation temp:	-26 °C ... 60 °C
Weight:	0.498 kg
Dimensions:	83 x 70.3 x 79.5 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	LEGRAND
Guarantee:	2 years

PRESENTATION


Front view:




Open cover of fuse links:



Bottom view:




Top view:



Mounting side view:





In the kit:

