

Code: LE-412940

# DUAL FUNCTIONS PUSH-BUTTON WITH INDICATOR **LE-412940** 1X NC 20 A LEGRAND

Net: 96.79 PLN Gross: 96.79 PLN

The push-buttons and control switches are designed for manual control of electrical circuits. The devices are equipped with a description window that allows easy identification.

The LE-412940 device is designed to mount on DIN TS-35 rail.



## SPECIFICATION

|                                  |                                                                                                                                                                                                                                               |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Device type:                     | Dual functions push-button with indicator, 1x NC                                                                                                                                                                                              |
| LED indicator:                   | Red 110 / 400 V AC                                                                                                                                                                                                                            |
| Rated current:                   | 20 A                                                                                                                                                                                                                                          |
| Rated voltage:                   | 250 V AC, 50/60 Hz                                                                                                                                                                                                                            |
| Rated impulse withstand voltage: | 4 kV                                                                                                                                                                                                                                          |
| Rated insulation voltage:        | 500 V                                                                                                                                                                                                                                         |
| Category of use:                 | AC12                                                                                                                                                                                                                                          |
| Connectors type:                 | screw terminals                                                                                                                                                                                                                               |
| Main features:                   | <ul style="list-style-type: none"><li>• Can be connected with using the supply busbars prong-type</li><li>• Provided space for a label with description</li><li>• Compatible with fluorescent lamps (20 AX)</li><li>• LED indicator</li></ul> |
| Housing:                         | Plastic, DIN, TS-35 rail mounting                                                                                                                                                                                                             |
| Width in 17.5 mm modules:        | 1                                                                                                                                                                                                                                             |
| Weight:                          | 0.058 kg                                                                                                                                                                                                                                      |
| Dimensions:                      | 94.9 x 67.3 x 17.8 mm                                                                                                                                                                                                                         |
| Manufacturer / Brand:            | LEGRAND                                                                                                                                                                                                                                       |
| Guarantee:                       | 2 years                                                                                                                                                                                                                                       |

## PRESENTATION

Front view:



Side view:



Mounting side view:



Bottom view:



## PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|