

Code: IPC-D22-IMOU

IP CAMERA **IPC-D22-IMOU** Wi-Fi DOME LITE - 1080p 2.8 mm

Net: **178.00 PLN** Gross: **218.94 PLN**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m.

The device is ideal for eg. as a baby monitor, with mobile image view on smartphone and possibility of bi-directional audio transmission.

Attention! These devices do not have the WEB interface. The IMOU series records the data only after motion detection (no continuous recording) - recording approx. 1 - 1.5 minutes depending on the duration of the movement in front of the camera. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.

The Imou cameras are guaranteed by Dahua TP and they are subject to the RMA warranty procedure, which greatly facilitates and speeds up possible repairs (details on the leaflet in the carton).



SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.7 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	115 °
Range of IR illumination:	20 m
Audio:	<input type="checkbox"/>
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 1080p
Network protocols:	TCP, DHCP
ONVIF:	<input type="checkbox"/>
Network interface:	Wi-Fi IEEE 802.11 b/g/n
WEB Server:	<input type="checkbox"/>
Mobile phones support:	Access by a cloud (P2P) • Android: Darmowa aplikacja IMOU • iOS (iPhone): Darmowa aplikacja IMOU
Default admin user / password:	admin / - The administrator password should be set at the first start

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Default IP address:	DHCP
Web browser access ports:	<input type="checkbox"/>
PC client access ports:	<input type="checkbox"/>
Mobile client access ports:	<input type="checkbox"/>
Port ONVIF:	<input type="checkbox"/>
RTSP URL:	<input type="checkbox"/>
Memory card slot:	Micro SD memory cards up to 128GB support (possible local recording)
Main features:	<ul style="list-style-type: none"> • Wi-Fi module - IEEE 802.11 b/g/n, Range : 50 m (open area) • Motion Detection • D-ZOOM - Digital Zoom : 16x
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	< 4.7 W
Weight:	0.19 kg
Dimensions:	Ø 100 x 74 mm
Supported languages:	<input type="checkbox"/>
Manufacturer / Brand:	DAHUA
Guarantee:	2 years

PRESENTATION

Camera view after remove the Dome cover:



Camera view after remove the Dome cover:



Memory card slot:



Mounting side view:



In the kit:



OUR OPINIONS



- Very small camera dimensions.