

Code: IPC-D22-IMOU

## IP CAMERA **IPC-D22-IMOU** Wi-Fi DOME LITE - 1080p 2.8 mm

Net: **40.62 EUR** Gross: **49.96 EUR**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m.

The device is ideal for eg. as a baby monitor, with mobile image view on smartphone and possibility of bi-directional audio transmission.

**Attention!** The IMOU series devices do not have a WEB interface. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.



### SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.7 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	115 °
Range of IR illumination:	20 m
Audio:	—
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 1080p
Network protocols:	TCP, DHCP
ONVIF:	—
Network interface:	Wi-Fi IEEE 802.11 b/g/n
WEB Server:	—
Mobile phones support:	Access by a cloud (P2P) • Android: Free application <a href="#">IMOU</a> • iOS (iPhone): Free application <a href="#">IMOU</a>
Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Web browser access ports:	—
PC client access ports:	—
Mobile client access ports:	—
Port ONVIF:	—
RTSP URL:	—
Memory card slot:	Micro SD memory cards up to 128GB support (possible local recording)
Main features:	<ul style="list-style-type: none"> <li>• Wi-Fi Module - IEEE 802.11 b/g/n, Range : 50 m (open area)</li> <li>• Motion Detection</li> <li>• D-ZOOM - Digital Zoom : 16x</li> </ul>
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	< 4.7 W
Weight:	0.19 kg
Dimensions:	Ø 100 x 74 mm
Supported languages:	—
Manufacturer / Brand:	DAHUA
Guarantee:	2 years

## PRESENTATION

Camera view after remove the Dome cover:



Camera view after remove the Dome cover:





Memory card slot:



Mounting side view:



In the kit:



#### OUR OPINIONS



- Very small camera dimensions.