

Code: IPC-G42-IMOU

## IP CAMERA **IPC-G42-IMOU** Wi-Fi BULLET LITE - 4 Mpx 2.8 mm

Net: **50.45 EUR** Gross: **62.05 EUR**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 50 m.

Camera is according to IP67 Index of Protection norm.

**Attention!** These devices do not have the WEB interface. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.

The Imou cameras are guaranteed by Dahua TP and they are subject to the RMA warranty procedure, which greatly facilitates and speeds up possible repairs (details on the leaflet in the carton).



### SPECIFICATION

Standard:	TCP/IP
Sensor:	1/3 " Progressive Scan CMOS
Matrix size:	4 Mpx
Resolution:	2560 x 1440 - 4 Mpx
Lens:	2.8 mm
View angle:	101 °
Range of IR illumination:	30 m
Audio:	<ul style="list-style-type: none"><li>• Microphone built-in,</li><li>• Audio transmission via network</li></ul>
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 4 Mpx
Network protocols:	TCP, DHCP
ONVIF:	—
Network interface:	Wi-Fi IEEE 802.11 b/g/n
WEB Server:	—
Mobile phones support:	Access by a cloud (P2P) <ul style="list-style-type: none"><li>• Android: Free application <a href="#">IMOU</a></li><li>• iOS (iPhone): Free application <a href="#">IMOU</a></li></ul>

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP
Web browser access ports:	—
PC client access ports:	—
Mobile client access ports:	—
Port ONVIF:	—
RTSP URL:	—
Memory card slot:	Micro SD memory cards up to 128GB support (possible local recording)
Main features:	<ul style="list-style-type: none"> <li>• Wi-Fi module - IEEE 802.11 b/g/n, Range : 50 m (open area)</li> <li>• Motion Detection</li> <li>• D-ZOOM - Digital Zoom : 16x</li> </ul>
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	< 4.8 W
"Index of Protection":	IP67
Weight:	0.24 kg
Dimensions:	Ø 70 x 165 mm
Supported languages:	—
Manufacturer / Brand:	DAHUA
Guarantee:	2 years

## PRESENTATION


Front view:



Side view:



Memory card slot:



Mounting side view:



In the kit:



## OUR OPINIONS



- Very small camera dimensions.