

Code: IPC-F22EAP

IP CAMERA **IPC-F22EAP** - 1080p 2.8 mm IMOU

Net: **34.51 EUR** Gross: **34.51 EUR**

The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. Camera is according to IP67 Index of Protection norm.

Attention! The IMOU series devices do not have a WEB interface.



SPECIFICATION

Standard:	IP
Sensor:	1/2.8 " Progressive Scan CMOS
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	108 °
Range of IR illumination:	30 m
Audio:	• Microphone built-in, • Audio transmission via network
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 1080p
ONVIF:	—
Network interface:	Ethernet : 100 Mbps
WEB Server:	—
Mobile phones support:	Access by a cloud (P2P) • Android: Free application IMOU • iOS (iPhone): Free application IMOU
Default IP address:	DHCP
Web browser access ports:	—
PC client access ports:	—

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Mobile client access ports:	—
Port ONVIF:	—
RTSP URL:	—
Memory card slot:	Micro SD card support up to 256GB
Main features:	• Motion Detection • People detection • D-ZOOM - Digital Zoom : 8x
Power supply:	PoE (802.3af)
Power consumption:	< 3.5 W
"Index of Protection":	IP67
Weight:	0.224 kg
Dimensions:	148 x 74 x 74 mm
Manufacturer / Brand:	DAHUA / IMOU
Guarantee:	2 years

PRESENTATION

Front view:



Side view:



Mounting side view:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------