

Code: IPC-HUM8231-L1-0280B

SENSOR UNIT MODULE **IPC-HUM8231-L1-0280B** FOR MODULES OF THE IPC-HUM8231-E SERIES - 1080p DAHUA

Net: **188.14 EUR** Gross: **231.41 EUR**

The IPC-HUM8231-L1-0280B PINHOLE camera module designed to work with modules of the main units of the IPC-HUM8231-E series. The device is only used to generate an image processed later in the main unit. It is not possible to use the camera for autonomous operation - even through the USB port through which the camera connects to the main module.

Attention! The device requires the purchase of the main unit module (available separately).



SPECIFICATION

Standard:	TCP/IP
Sensor:	1/2.8 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	max. 1920 x 1080 - 1080p
Lens:	2.8 mm (pinhole)
View angle:	<ul style="list-style-type: none">• 104 ° (manufacturer data)• 99 ° (our tests result)
Min. illumination:	0.02 Lux (color) 0.01 Lux (B/W)
S/N ratio:	> 50 dB
Audio:	—
RS-485 interface:	—
RS-232 interface:	—
Memory card slot:	—
Power supply:	From main unit module
Length of the cable:	8 m
Operation temp:	-30 °C ... 60 °C
Weight:	0.40 kg
Dimensions:	Ø 31 x 49 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Small dimensions camera:



Front view:




Camera connector:





Dimensions:



See how to initialize DAHUA cameras:

:
In the kit:



OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at direct strong light opposite to camera:



Camera image at night conditions, at different illumination values show below:

10 LUX:



1 LUX:



0.1 LUX:

