

Code: VTH1560BW

INDOOR PANEL IP **VTH1560BW** DAHUA

Net: **296.87 EUR** Gross: **296.87 EUR**

The VTH1560BW panel has been designed to create a simple and effective system of local communication. The device works with video doorphones, and other DAHUA panels. It can be also used as simple alarm control panel, or notification module by the support 8 alarm inputs. **ATTENTION!** The device does not support the Dahua analogue system.



SPECIFICATION

Compatibility:	Interphone installation - DAHUA
Shield:	7 " TFT-LCD color matrix
Resolution:	800 x 480
Internal memory:	4 GB (built-in)
Main features:	• Microphone built-in, • Speakers built-in, • Bidirectional communication, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • The ability to automatically take and save photos if you do not answer to the bell button, • The ability to record a short video message in the absence of a response to the bell button, • IP Dahua cameras support, • The ability of direct communication between two or more panels ,
Controlling:	One-touch action buttons + capacitive touch screen
Alarm inputs:	8
Power supply:	• 10 V ... 15 V DC / 450 mA, • 24 V PoE - DAHUA
Color:	White
Operation temp:	-10 °C ... 60 °C
Weight:	0.636 kg
Dimensions:	220 x 155 x 37 mm
Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Rear view:




Device connectors:




In the kit:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Example of application:



- 1. INDOOR PANEL
- 2. Video doorphone
- 3. DHI-VTNS1060A
- 4. Hub / Switch
- 5. System management center
- 6. Remote client

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------