

Code: HA-129R65

## AMPLIFIER WITH ACTIVE RETURN CHANNEL **HA-129R65** TERRA

Net: **53.80 EUR** Gross: **53.80 EUR**



### SPECIFICATION

|                                            |                                                                                                                  |
|--------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| Frequency range:                           | 47 MHz ... 862 MHz                                                                                               |
| Gain :                                     | <ul style="list-style-type: none"><li>• 24 dB ... 27 dB</li><li>• 32 dB ... 36 dB</li></ul> selectable by switch |
| Gain adjustment:                           | 17 dB                                                                                                            |
| Slope adjustment:                          | 17 dB                                                                                                            |
| Maximal output level IMD3=60 dB DIN45004B: | 100 dB $\mu$ V                                                                                                   |
| S/N ratio:                                 | $\leq 8.5$ dB                                                                                                    |

#### Return channel:

|                                            |                  |
|--------------------------------------------|------------------|
| Frequency range:                           | 5 MHz ... 65 MHz |
| Gain :                                     | 18 dB ... 21 dB  |
| Gain adjustment:                           | 15 dB            |
| Maximal output level IMD3=60 dB DIN45004B: | 114 dB $\mu$ V   |
| S/N ratio:                                 | $\leq 6$ dB      |

#### General information:

|                           |                             |
|---------------------------|-----------------------------|
| Number of inputs/outputs: | 1 / 1 + 1 (1 x test: -30dB) |
| Power supply:             | 230 V AC                    |
| Power consumption:        | $\leq 4$ W                  |
| Operation temp:           | -20 °C ... 50 °C            |
| Weight:                   | 0.23 kg                     |
| Dimensions:               | 133 x 63 x 39 mm            |


DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

|                       |         |
|-----------------------|---------|
| Manufacturer / Brand: | TERRA   |
| Guarantee:            | 2 years |

PRESENTATION



Top view:



PACKAGE

|                                  |                    |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

