


Code: SW-9108

## MultiBAS **SW-9108** ProfiSETT TELMOR

Net: **167.14 EUR** Gross: **167.14 EUR**



The MultiBAS devices from TELKOM-TELMOR are a combination of an amplifier and a multiswitch.

### SPECIFICATION


Frequency range:	<ul style="list-style-type: none"><li>• 87 MHz ... 112 MHz - FM,</li><li>• 170 MHz ... 240 MHz - VHF / DAB,</li><li>• 470 MHz ... 694 MHz - UHF1, UHF2</li><li>• 950 MHz ... 2150 MHz - SAT</li></ul>
Gain :	<ul style="list-style-type: none"><li>• 15 dB @ FM</li><li>• 15 dB @ VHF / DAB</li><li>• 25 dB @ UHF1, UHF2</li><li>• -2 dB ... 6 dB @ SAT</li></ul>
Inputs:	8 pcs
Outputs:	<ul style="list-style-type: none"><li>• 8 pcs</li><li>• 5 pcs (Loop through)</li></ul>
Pre-amplifiers powering:	12 V DC : 50 mA / VHF/DAB, UHF1, UHF2 input
Gain adjustment:	-20 dB ... 0 dB (for single line)
Maximal output level DIN45004B:	<ul style="list-style-type: none"><li>&gt; 95 dB<math>\mu</math>V - FM</li><li>&gt; 95 dB<math>\mu</math>V - VHF</li><li>&gt; 95 dB<math>\mu</math>V - UHF1, UHF2</li><li>&gt; 94 dB<math>\mu</math>V - SAT</li></ul>
Return loss:	> 10 dB
S/N ratio:	<ul style="list-style-type: none"><li>&lt; 17 dB - FM</li><li>&lt; 10 dB - VHF</li><li>&lt; 12 dB - UHF1, UHF2</li></ul>
Main features:	<ul style="list-style-type: none"><li>• ProfiSETT product series</li><li>• DVB-T, DVB-T2, DAB, DAB+ compliance</li><li>• Dual UHF input for installations requiring signal reception from different directions</li><li>• 5G Protected Technology</li><li>• Continuous gain adjustment</li><li>• High isolation between inputs : &gt; 20 dB</li><li>• Gain adjustment</li><li>• High level of shielding</li></ul>
Power supply:	12 V DC / 2 A (power adapter included)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Power consumption:	24 W (max)
Operation temp:	0 °C ... 50 °C
Weight:	0.63 kg
Dimensions:	192 x 185 x 50 mm
Manufacturer / Brand:	TELMOR
Guarantee:	2 years


## PRESENTATION

Top view:



Connectors:





In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

