

Code: VTO6000CM

VIDEO DOORPHONE **VTO6000CM** DAHUA

Net: **145.33 EUR** Gross: **145.33 EUR**



The device works with video doorphones, and other DAHUA panels.

ATTENTION! The device does not support the Dahua analogue system.

SPECIFICATION

Sensor:	1/3 ", 1.3 Mpx CMOS
Lens:	3.6 mm
Image compression method:	H.264
LED illuminator:	✓
Compatibility:	DAHUA
UTP category:	UTP cat. 5e
Main features:	• Bidirectional communication, • Microphone built-in, • Speakers built-in, • Tamper detection - removing from mounting surface
Mobile phones support:	Port no.: 37777 or access by a cloud (P2P) • Android: Free application DMSS • iOS (iPhone): Free application DMSS There are also other versions of mobile applications: gDMSS Plus, iDMSS Plus
Power supply:	• 12 V DC / 830 mA, • 24 V PoE - DAHUA
Power consumption:	≤ 10 W (operation) ≤ 1 W (Standby mode)
Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian
Housing:	Aluminum, Waterproof
Color:	Silver
"Index of Protection":	IP54

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-30 °C ... 60 °C
Weight:	0.27 kg
Dimensions:	100 x 141 x 42 mm
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front panel:



Side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Rear view:



Connectors:



Examples of connection diagrams:



- 1. Detectors (smoke/gas/heat/PIR)
- 2. INDOOR PANEL
- 3. IP cameras
- 4. Video doorphone
- 5. DVR
- 6. Remote client
- 7. Router WiFi

In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

