

Code: VI-500/R1U

## UPS **VI-500/R1U** 500 VA PowerWalker

Net: **149.22 EUR** Gross: **183.54 EUR**

The VI-500/R1U is a professional device, which providing stable power to connected sets of equipment. The device is mounted to RACK 19" cabinet.



### SPECIFICATION

Nominal power:	300 W
Apparent Power:	500 VA
Input voltage:	165 ... 290 V AC
Input frequency:	45 ... 55 Hz
Output voltage:	230 V AC (Pure Sine Wave)
Output frequency:	50 Hz
Voltage adjustment:	± 10 %
Frequency adjustment:	—
Transfer time:	max. 4 ms
Charging time (recover to 90% capacity):	8 hours
Battery:	2 x 6V/7Ah
Backup time:	<ul style="list-style-type: none"><li>• 0.8 minutes @ 100% load</li><li>• 10.3 minutes @ 50% load</li></ul>
Number of outputs:	4 pcs IEC320 C13 socket
Management software:	<a href="#">PowerMaster</a>
Protections:	<ul style="list-style-type: none"><li>• Glass Fuse</li><li>• Overvoltage</li><li>• Overload protection</li><li>• EPO (Emergency power off) switch</li></ul>
Operation state indication:	<ul style="list-style-type: none"><li>• LCD display: operation mode, battery charging level, in/out voltage level</li><li>• Sound signaling - with Mute function</li></ul>
Main features:	<ul style="list-style-type: none"><li>• "Cold Start" function</li><li>• Expansion slot</li><li>• Battery charge and maintenance control</li><li>• USB/RS-232 communication port</li></ul>
Application:	<ul style="list-style-type: none"><li>• Surveillance Systems</li><li>• data storage centers</li><li>• network, servers, workstations</li><li>• Industrial Equipment</li></ul>
Housing type:	RACK
Operation temp. / Relative humidity:	0 °C ... 40 °C / 0 ... 90 % (non-condensing)
Weight:	7.76 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Dimensions:	435 x 235 x 44 mm ; RACK 19", 1U
Manufacturer / Brand:	PowerWalker
Guarantee:	2 years

## PRESENTATION


Front view:



Rear view:



Expansion slot:



In the kit:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60