

Code: M690W-S2

INDOOR PANEL M690W-S2 VIDOS

Net: 175.48 EUR Gross: 215.84 EUR

The M690W-S2 is designed to cooperation with video doorphones and panels working in analog VIDOS system.



SPECIFICATION

Compatibility:	VIDOS Analog Video Doorphones
Shield:	7 " TFT-LCD color matrix
Resolution:	1280 x 600
Main features:	<ul style="list-style-type: none">• Plug & Play,• Ultra-flat hands-free monitor, with speakerphone,• Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume,• Touch control keys - Blue backlight,• Support for 2 door stations, or 1 station and 1 CCTV camera,• The ability to take and remember photos of visitors . The built-in memory of the device allows to store up to 100 photos,• Possibility to extend the system with any 3 additional indoor panels or uniphones from the VIDOS brand,• Preview image from the door station with the possibility of turning on the sound and opening the gate,• Control of the electric strike and automatic gate,• Intercom and call forwarding function,• Bidirectional communication,• OSD menu,• The kit includes power supply adapter designed for rail mounting DIN TS-35
Power supply:	14.5 V DC
Max. current:	1.3 A (power adapter included)
Color:	White
Operation temp:	-10 °C ... 55 °C
Supported languages:	Polish, English, French, Spanish, German, Russian, Italian
Weight:	0.14 kg
Dimensions:	208 x 150 x 22 mm
Manufacturer / Brand:	VIDOS

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:

3 years

PRESENTATION

Front view:



Sides view:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Power adapter included:



In the kit:

