

Code: S601Z-2

## VIDEO DOORPHONE S601Z-2 VIDOS

Net: 309.09 EUR Gross: 380.18 EUR

Video Doorphone is mounted in a surface housing. Surface mounting is possible with the D600B3 cover.

The built-in fingerprint reader allows to assign individual fingerprints to one or two zones.

The S601Z-2 is designed to cooperation with video doorphones and panels working in analog VIDOS system.



### SPECIFICATION

|                                   |   |
|-----------------------------------|---|
| Compatibility:                    | VIDOS Analog Video Doorphones   |
| Sensor:                           | 1/3 " 600 TVL   |
| View angle:                       | 87 °  |
| IR illuminator:                   | ✓   |
| LED illuminator:                  | —   |
| proximity reader built-in:        | —   |
| Fingerprint reader built-in:      | ✓   |
| Built-in keypad:                  | —   |
| The number of subscribers served: | 1   |
| Video output:                     | compatible with VIDOS analog video door-phone system  |
| Main features:                    | <ul style="list-style-type: none"><li>• 2 zones support</li><li>• Scanner memory - max. 900 fingerprints</li><li>• Adjustment of the opening time of the electric strike: 1s ... 99s</li><li>• Electric strikes and electromagnetic locks support</li><li>• Output for the additional lock release button</li><li>• Timer output specifying temporary access</li><li>• Possibility of working in bistable mode (entering the code releases the electric strike, re-entering the code closes it)</li><li>• Vandal-proof front panel</li><li>• Illuminated button and signboard for the surname</li></ul> |
| Power supply:                     | 12 V DC ... 15 V DC   |
| Power consumption:                | ≤ 1.5 W (operation)   |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

|                        |  |
|------------------------|--|
| Housing:               | Acid-proof steel / Plastic, Waterproof |
| Color:                 | Silver                                 |
| "Index of Protection": | IP65                                   |
| Operation temp:        | -20 °C ... 55 °C                       |
| Weight:                | 0.63 kg                                |
| Dimensions:            | 195 x 100 x 55 mm                      |
| Manufacturer / Brand:  | VIDOS                                  |
| Guarantee:             | <b>3 years</b>                         |

## PRESENTATION

Front panel:




Side view:



Rear view:



Internal view of the housing:




Connectors:



The set includes, among others the PL12 remote controller necessary for programming:



In the kit:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60