

Code: S603A-2

## VIDEO DOORPHONE S603A-2 VIDOS

Net: 273.64 EUR Gross: 336.58 EUR

Video Doorphone is mounted in a flush-mounted housing. Surface mounting is possible with the D600B3 cover. Built-in RFID reader allows to control the electric strike using key fobs, proximity cards and tags functioning in the Unique EM 125kHz standard. The S603A-2 is designed to cooperation with video doorphones and panels working in analog VIDOS system.



### SPECIFICATION

Compatibility:	VIDOS Analog Video Doorphones
Sensor:	1/3 " 600 TVL
View angle:	87 °
IR illuminator:	✓
LED illuminator:	—
proximity reader built-in:	Standard - Unique EM 125kHz
Fingerprint reader built-in:	—
Built-in keypad:	—
The number of subscribers served:	3
Video output:	compatible with VIDOS analog video door-phone system
Main features:	<ul style="list-style-type: none"><li>• 2 zones support</li><li>• Number of supported proximity cards : max. 1010</li><li>• Adjustment of the opening time of the electric strike: 1s ... 99s</li><li>• Electric strikes and electromagnetic locks support</li><li>• Output for the additional lock release button</li><li>• Possibility of working in bistable mode (close-up of the card releases the electric strike, re-closing closes it)</li><li>• Vandal-proof front panel</li><li>• Illuminated buttons and signboards for the surnames</li></ul>
Power supply:	12 V DC ... 15 V DC
Power consumption:	≤ 1.5 W (operation)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Housing:	Acid-proof steel / Plastic, Waterproof
Color:	Silver
"Index of Protection":	IP65
Operation temp:	-20 °C ... 55 °C
Weight:	0.86 kg
Dimensions:	280 x 100 x 55 mm
Manufacturer / Brand:	VIDOS
Guarantee:	<b>3 years</b>

## PRESENTATION

Front panel:



Side view:



Rear view:



Internal view of the housing:





Connectors:



The set includes, among others the PL12 remote controller necessary for programming:



In the kit:

