

Code: S551-SKP

VIDEO DOORPHONE INTEGRATED WITH MAILBOX **S551-SKP** VIDOS

Net: **361.42 EUR** Gross: **444.55 EUR**

Video doorphone integrated with one-way mailbox. The box is designed for mounting in a fence post or wall. Thanks to the use of the highest quality materials, it is resistant to weather conditions.

The video doorphone has been equipped with a color camera with the possibility of adjusting horizontally and vertically in the range of several degrees.

The S551-SKP is designed to cooperation with video doorphones and panels working in analog VIDOS system.



SPECIFICATION

Compatibility:	VIDOS Analog Video Doorphones
Sensor:	1/3 ", 600 TVL
View angle:	87 °
IR illuminator:	✓
LED illuminator:	—
Fingerprint reader built-in:	—
proximity reader built-in:	—
Built-in keypad:	—
The number of subscribers served:	1
Video output:	✓
Main features:	<ul style="list-style-type: none">• Integrated mailbox - Through• Camera - Angle adjustment range $\pm 10^\circ$• Backlight - 8 x LED IR• Vandal-proof front panel• Electric strikes and electromagnetic locks support• Call button - Blue backlight
Power supply:	From internal panel
Power consumption:	≤ 1.5 W (operation)
Housing:	Acid-proof steel, Waterproof
Color:	Silver

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

"Index of Protection":	IP65
Operation temp:	-20 °C ... 55 °C
Weight:	4.8 kg
Dimensions:	<ul style="list-style-type: none"> • Front panel : 285 x 385 mm • Rear panel : 265 x 360 mm • Adjustable depth of the box : 190 ... 255 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years

PRESENTATION

Front panel:



Rear view:





The depth of the box is adjustable:



View after removing the back panel:




Front panel - view from the wall side:



Connectors description:



Dimensions:



In the kit:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

