

Code: M1021W-2

INDOOR PANEL **M1021W-2** VIDOS

Net: **203.32 EUR** Gross: **203.32 EUR**

The M1021W-2 is dedicated for cooperation with video doorphones and panels compatible with the VIDOS DUO digital system.



SPECIFICATION

| | |
|----------------|--|
| Compatibility: | VIDOS DUO |
| Shield: | 7 " TFT-LCD color matrix |
| Resolution: | 800 x 480 |
| Main features: | <ul style="list-style-type: none">• Wiring - 2 wires without polarity,• Plug & Play,• Ultra-flat hands-free monitor, with speakerphone,• Backlit, touch control panel,• Microphone built-in,• Speakers built-in,• Bidirectional communication,• Possibility to extend the system with any 3 additional indoor panels or uniphones from the VIDOS DUO brand• "Do not disturb" mode - muting the device for the time set by the user,• The ability to record and take pictures of visitors - Recording of the last 118 images from the camera• Support of the Micro SD cards up to 16GB for video recording,• Support up to 4 additional CCTV cameras - view from cameras possible via an additional M-K4 module,• Support for the motion detection function (required motion sensor installed on the door station),• Number of ring-tones : 20• Support up to 4 door stations - M-SM4 module,• The SOS button allows to send an alarm message to mobile phone,• Preview image from the door station with the possibility of turning on the sound and opening the gate,• Control of the electric strike and automatic gate,• Addressable internal and external intercom,• Intercom and call forwarding function,• Lighting control via an additional B5 module,• Relay output : 1 pcs or 2 pcs - B5 module• OSD menu |
| Power supply: | 20 V DC ... 28 V DC |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-----------------------|--|
| Power consumption: | <ul style="list-style-type: none"> • 0.29 W (Standby mode) • 7 W (operation) |
| Housing: | Plastic |
| Color: | White |
| Operation temp: | 0 °C ... 40 °C |
| Supported languages: | Polish, English, French, Spanish, German, Russian, Italian |
| Weight: | 0.54 kg |
| Dimensions: | 226 x 132 x 19 mm |
| Manufacturer / Brand: | VIDOS |
| Guarantee: | 3 years |

PRESENTATION

Front panel:



Memory card slot:




Rear view:





Connectors description:



Model: M1021W-2


L1/L2: BUS

SW -/SW+: przycisk dzwonka
 Ring: wyjście dzwonka (DC12V/50mA)
 GND: masa
 NC: zarezerwowane

DIP 1-5: ustawienie adresu monitora
 DIP 6: ustawienie impedancji video

CE RoHS

In the kit:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

