

Code: BCS-V-TIP72VSR4-ITC

# IP CAMERA ANPR **BCS-V-TIP72VSR4-ITC** - 1080p 2.8 ... 12 mm - MOTOZOOM BCS View

Net: **1 053.89 EUR** Gross: **1 053.89 EUR**

The IP ANPR (Automatic Number Plate Recognition) Camera is designed for auto recognition of the vehicle number plates.

The used motozoom lens with 2.8 ... 12 mm focal length allows to remote view angle adjustment.

PoE powering possibility, compatible with the 802.3at standard makes the device more universal and easier to install.



## SPECIFICATION

Standard:	TCP/IP
Sensor:	1/1.8 " Progressive Scan CMOS
Matrix size:	2 Mpx
Resolution:	1920 x 1080 - 1080p , 1280 x 720 - 720p
Lens:	2.8 ... 12 mm - Motozoom
View angle:	103 ° ... 39 ° (manufacturer data)
Range of IR illumination:	40 m
Compression:	H.265+ / H.265 / H.264+ / H.264 / MJPEG
Main stream frame rate:	50 fps - 1080p
Network interface:	10/100/1000 Base-T (RJ-45)
Network protocols:	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, IEEE 802.1x, QoS, IPv6, UDP, Bonjour
WEB Server:	Built-in
Memory card slot:	Micro SD memory cards up to 256GB support (possible local recording)
Alarm inputs / outputs:	2 / 2
Audio:	<ul style="list-style-type: none"><li>• External microphone input - JACK mono</li><li>• Audio output - JACK mono</li><li>• Bi-directional audio streaming support</li><li>• Audio detection</li><li>• Noise reduction</li></ul>
RS-485 interface:	✓
Wiegand interface:	✓

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Mobile phones support:	Port no.: 8000 or access by a cloud (P2P) <ul style="list-style-type: none"> <li>• Android: Free application <a href="#">BCS View</a></li> <li>• iOS (iPhone): Free application <a href="#">BCS View</a></li> </ul>
Main features:	<ul style="list-style-type: none"> <li>• Motozoom lens</li> <li>• WDR - 140 dB - Wide Dynamic Range</li> <li>• 3D-DNR - Digital Noise Reduction</li> <li>• Power output : 12 V DC / 100 mA</li> <li>• Auto White Balance</li> <li>• Intelligent Image Analysis : intrusion, crossing the line (tripwire)</li> <li>• Image analysis : License plate recognition, Authorized and unauthorized license plate lists: up to 10 000 records, Support for recognizing motorcycle license plates (only in the checkpoint scenario)</li> <li>• Protections : IP-MAC Binding, HTTPS, IEEE 802.1x, Access control</li> </ul>
Power supply:	<ul style="list-style-type: none"> <li>• PoE (802.3at),</li> <li>• 12 V DC / 1.17 A</li> </ul>
Power consumption:	≤ 14 W
Housing:	Compact, Aluminum alloy
Color:	White + Black
"Index of Protection":	IP67
Vandal-proof:	IK10
Operation temp:	-30 °C ... 60 °C
Weight:	2.48 kg (with bracket)
Dimensions:	Ø 140 x 358 mm
Supported languages:	English
Manufacturer / Brand:	BCS View
Guarantee:	<b>3 years</b>

## PRESENTATION



Side view:



Bottom view:



Camera connectors:




Mounting side view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:



## OUR OPINIONS



- Motozoom lens.

## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

