Code: ATE-CAM-AHD620HD

AHD MOBILE CAMERA **ATE-CAM-AHD620HD** - 1080p 2.8 mm AUTONE

Net: 122.19 EUR Gross: 122.19 EUR



The ATE-CAM-AHD620HD double rear view camera is designed for installation outside vehicles. Two cameras with independently adjustable tilt angle allow accurate observation of the vehicle surroundings. This design allows good visibility when reversing both low and significant obstacles.

Independent adjustment of the vertical tilt of each camera allows the combination of two vertical images, which is especially useful for high vehicles, such as trucks, buses, etc. Camera is according to IP67 Index of Protection norm.

SPECIFICATION

Standard:	AHD
Sensor:	1/3 " Sony CMOS IMX323
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	2.8 mm
View angle:	89 ° (manufacturer data) 85 ° (our tests result)
Range of IR illumination:	10 m
S/N ratio:	≥ 58 dB
Video output:	2 x 1 Vpp / 75 Ω - M12, 4-pin socket, Code A
Audio:	—
Main features:	• AGC - Automatic Gain Control • BLC - Back Light Compensation • Auto White Balance • Sharpness - sharper image outlines
OSD menu:	—
Housing:	Mini, Metal
Color:	Black
Application:	The camera is designed for installation outside vehicles
Power supply:	2 x 12 V DC / 420 mA - Powering the cameras with 12V DC voltage directly from recorder
Power consumption:	< 10 W (total)

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-10 °C ... 50 °C
Weight:	0.46 kg
Dimensions:	101 x 82 x 60 mm
Manufacturer / Brand:	AUTONE
Guarantee:	2 years

PRESENTATION

Small dimensions camera:



Front view:



Rear view:




Camera connectors:



M12 connector:

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



SN	Function
1	12V camera external power
2	GND
3	Audio
4	Video

In the kit:




OUR TESTS

Camera 1:

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Camera image at direct strong light opposite to camera:



Camera 2:

Camera image at artificial illumination (about 30Lux):



Camera image at night conditions with internal built-in IR illuminator on:



Camera image at direct strong light opposite to camera:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg