

Code: PROTECT-C150

AHD MOBILE CAMERA **PROTECT-C150** - 1080p 3.6 mm

Net: **33.92 EUR** Gross: **33.92 EUR**



The PROTECT-C150 camera is designed for installation inside vehicles.

The AHD interface allows to transmission of analog, composite video signal via coaxial cable. During transmission there are no delays and is maintained the original, high quality image.

Thanks to the "Starlight" technology used, the camera only needs very low lighting to obtain a clear color image.

SPECIFICATION

Standard:	AHD
Sensor:	1/2.9 " Sony CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	3.6 mm
View angle:	• 110 °
Min. illumination:	• 0.01 Lux @ F1.2 (color), • 0.001 Lux @ F1.2 (black-white)
Range of IR illumination:	—
Video output:	1 Vpp / 75 Ω - M12, 4-pin socket, Code A
Audio:	—
Main features:	• ICR filter - IR illuminators support • Thanks to the "Starlight" technology used, the camera only needs very low lighting to obtain a clear color image • Rotating body
OSD menu:	—
Housing:	Metal
Color:	Black
Application:	The camera is designed for installation inside vehicles
Power supply:	12 V DC / 70 mA - Powering the cameras with 12V DC voltage directly from recorder

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Power consumption:	0.9 W
Operation temp:	-20 °C ... 50 °C
Length of the cable:	0.4 m
Weight:	0.18 kg
Dimensions:	• 47 x 41 x 36 mm (without bracket) • 57 x 58 x 36 mm (with bracket)
Guarantee:	2 years

PRESENTATION

Front view:



Small dimensions camera:



Rear view:



Camera connector:



Camera bracket:



In the kit:




OUR TESTS

Camera image at artificial illumination (about 30Lux):



Camera image at direct strong light opposite to camera:



Camera image at night conditions, at different illumination values show below:

10 LUX:



1 LUX:




0.1 LUX:



0.01 LUX:



0.001 LUX:



OUR OPINIONS



- Solid workmanship.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60