

Code: ATE-CAM-IPC680

IP MOBILE CAMERA **ATE-CAM-IPC680** - 1080p 2.8 mm AUTONE

Net: **56.85 EUR** Gross: **69.93 EUR**

Mobile IP camera equipped with M12, 6-pin - code A connector, providing image in maximum resolution Full HD, 1080p.



SPECIFICATION

| | |
|---------------------------|--|
| Standard: | TCP/IP |
| Sensor: | 1/2.8 " CMOS |
| Matrix size: | 2.1 Mpx |
| Resolution: | 1920 x 1080 - 1080p |
| Lens: | 2.8 mm |
| View angle: | 93 ° |
| Range of IR illumination: | 15 m |
| S/N ratio: | ≥ 58 dB |
| RS-485 interface: | — |
| Memory card slot: | — |
| ONVIF: | ✓ |
| Image compression method: | H.265 / H.264 |
| Alarm inputs / outputs: | — |
| Audio: | — |
| Network interface: | 10/100 Base-T - M12, 6-pin socket - Code A |
| Main features: | <ul style="list-style-type: none">• Motion Detection• Auto White Balance• AGC - Automatic Gain Control• BLC - Back Light Compensation |
| Power supply: | 12 V DC |
| Mobile phones support: | — |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|---------------------------|------------------|
| Default IP address: | 192.168.1.26 |
| Default user password: | admin / - |
| Web browser access ports: | 8899 |
| PC client access ports: | 8899 |
| Housing: | Mini, Metal |
| Color: | Black |
| "Index of Protection": | IP67 |
| Operation temp: | -30 °C ... 70 °C |
| Weight: | 0.32 kg |
| Dimensions: | 86 x 68 x 68 mm |
| Supported languages: | English |
| Manufacturer / Brand: | AUTONE |
| Guarantee: | 2 years |

PRESENTATION

Front view - small sizes camera:



Rear view:





Camera mounting dimensions:



In the kit:



OUR OPINIONS



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

- Very good quality image.
- Solid workmanship.

PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

