

Code: DH-VTH1520AS

INDOOR PANEL IP **DH-VTH1520AS** DAHUA

Net: **239.24 EUR** Gross: **239.24 EUR**

The DH-VTH1520AS panel has been designed to create a simple and effective system of local communication.

The device works with video doorphones, and other DAHUA panels. It can be also used as simple alarm control panel, or notification module by the support 8 alarm inputs.

ATTENTION! The device does not support the Dahua analogue system.



SPECIFICATION

Compatibility:	Interphone installation - DAHUA IP Protocol
Shield:	7 " TFT-LCD color matrix
Resolution:	800 x 480
Internal memory:	4 GB (built-in)
Main features:	• Microphone built-in, • Speakers built-in, • Bidirectional communication, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume, • Automatically capture and save images if there is no response to the doorbell, • Records a short video message if there is no response to the doorbell button, • IP Dahua cameras support, • The ability of direct communication between two or more panels ,
Controlling:	Large, readable buttons + resistive touch screen
Alarm inputs:	8
Power supply:	• 12 V DC / 580 mA, • 24 V PoE - DAHUA IP Protocol
Power consumption:	≤ 7 W
Color:	White
Operation temp:	-10 °C ... 55 °C
Weight:	0.64 kg
Dimensions:	261 x 193 x 35 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:



Rear view:




Device connectors:



In the kit:



Example of application:



- 1. INDOOR PANEL
- 2. Video doorphone
- 3. DHI-VTNS1060A
- 4. Hub / Switch
- 5. System management center
- 6. Remote client

PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

