

Code: VTH2521G

INDOOR PANEL IP **VTH2521G** DAHUA

Net: **204.24 EUR** Gross: **204.24 EUR**

The VTH2521G panel has been designed to create a simple and effective system of local communication.

The device cooperates with video doorphones, and other panels working in DAHUA IP standard. It can be also used as simple alarm control panel, or notification module by the support 6 alarm inputs.

ATTENTION! The device does not support the Dahua analogue system.



SPECIFICATION

Compatibility:	Interphone installation - DAHUA IP
Shield:	7 " capacitive touch screen
Resolution:	1024 x 600
Internal memory:	—
Memory card slot:	—
Main features:	• Noise and echo reduction, • Microphone built-in, • Speaker built-in, • Bidirectional communication, • Receive and view the published information from the management center, • DND mode, • SOS support, • Smooth adjustment of monitor parameters: image brightness, ring tone volume and conversation volume ,
Controlling:	capacitive touch screen
Alarm inputs:	6 (1 - as a bell)
Alarm outputs:	1
Power supply:	• 12 V DC / 1 A, • PoE (802.3af)
Power consumption:	≤ 6 W (operation) ≤ 4 W (Standby mode)
Operation temp:	-10 °C ... 55 °C
Color:	Black + Silver
Weight:	0.33 kg

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions:	190 x 135 x 26 mm
Supported languages:	English
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front view:




Rear view:




Connectors view:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60




Dimensions:



In the kit:



Example of application:



- 1. VTH2521G
- 2. Switch PoE
- 3. Switch
- 4. Door station
- 5. INTERNET
- 6. Mobile phones support
- 7. Guard station
- 8. IP Camera
- 9. Security room

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------