

Code: VTO6521K

VIDEO DOORPHONE **VTO6521K** DAHUA

Net: 3 138.00 PLN Gross: 3 138.00 PLN



SPECIFICATION

Sensor:	1/2.8 ", 2.0 Mpx CMOS
Display:	4.3 " LCD, 800 x 480 px
Image compression method:	H.264
LED illuminator:	✓
IR illuminator:	—
proximity reader built-in:	13.56 MHz S50
Compatibility:	DAHUA
Main features:	• Camera view angle : 86 °, • LCD display, • Bidirectional communication, • WDR - 120 dB - Wide Dynamic Range, • Possibility to open the gate using a QR code, • Memory of 10 000 RFID cards, 20 000 indexed users, • Power output : 12 V DC / 200 mA, • Microphone built-in, • Speakers built-in, • Tamper detection - removing from mounting surface
Operation temp:	-30 °C ... 60 °C
Power supply:	12 V DC / 2 A
Power consumption:	≤ 18 W (operation) ≤ 5 W (Standby mode)
Housing:	Metal

Color:	Silver
"Index of Protection":	IP65 - after additional sealing the housing connection with the mounting surface, e.g. with silicone
Vandal-proof:	IK08
Weight:	1.51 kg
Dimensions:	406 x 143 x 52 mm
Supported languages:	English, Bulgarian, Czech, Finnish, Polish, Slovenian, Slovak, Hungarian
Manufacturer / Brand:	DAHUA
Guarantee:	3 years

PRESENTATION

Front panel:



Rear view:






Connectors:




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors description:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60