

Code: DS-KB2421-IM

VIDEO DOORPHONE **DS-KB2421-IM** Hikvision

Net: **84.46 EUR** Gross: **84.46 EUR**

Video Doorphone is mounted in a surface housing. The DS-KB2421-IM is designed to cooperation with video doorphones and panels working in analog HIKVISION system.
ATTENTION! The device does not support the HIKVISION IP system.



SPECIFICATION

Sensor:	1/4 " CMOS
IR illuminator:	✓
proximity reader built-in:	—
Video output:	1 Vpp, CVBS - pair of wires compatible with HIKVISION analog video door-phone system
Operation temp:	-30 °C ... 70 °C
Power supply:	12 V DC
Power consumption:	≤ 5 W (operation)
Main features:	• Relay output • 4-wire cable installation
Housing:	Metal, Waterproof
Color:	Graphite
"Index of Protection":	IP65
Weight:	0.46 kg
Dimensions:	145 x 49 x 27 mm
Manufacturer / Brand:	Hikvision
SAP Code:	305300759
Guarantee:	3 years

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PRESENTATION




Side view:



Mounting side view:



Connectors:



Connectors description:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------