

Code: DS-KV6113-WPE1(B)

WIRELESS VIDEO DOORPHONE **DS-KV6113-WPE1(B)** Wi-Fi / IP Hikvision

Net: **168.82 EUR** Gross: **207.65 EUR**



Wi-Fi / IP video doorphone is dedicated to work with II generation IP Hikvision internal panels.

Video Doorphone is mounted in a surface housing.

SPECIFICATION

| | |
|------------------------------|--|
| Sensor: | 2 Mpx |
| Resolution: | 1920 x 1080 |
| Camera view angle: | 129 ° |
| IR illuminator: | ✓ |
| LED illuminator: | — |
| PIR detector: | — |
| Doorbell button: | 1 pcs |
| proximity reader built-in: | MIFARE 13.56 MHz |
| Wireless transmission range: | The range limited only by the availability of the Wi-Fi network |
| Wi-Fi standard: | IEEE 802.11b / IEEE 802.11g / IEEE 802.11n |
| Network interface: | <ul style="list-style-type: none">• Ethernet• Wi-Fi |
| RS-485 interface: | ✓ |
| Video output: | — |
| Video format: | H.264 |
| Supported audio formats: | G.711 |
| Alarm inputs: | 4 pcs |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|------------------------|---|
| Main features: | <ul style="list-style-type: none"> • Full support via network : WiFi / LAN, • Tamper detection - removing from mounting surface, • Video Doorphone is mounted in a surface housing • The device has the ability to work with the Hik-Connect application for mobile devices, without the use of an internal panel |
| Power supply: | <ul style="list-style-type: none"> • PoE (802.3af) • 12 V DC / 830 mA (max) |
| Power consumption: | < 10 W (operation) |
| Housing: | Plastic |
| Mount: | Surface |
| Color: | Black + Gray |
| "Index of Protection": | IP65 |
| Operation temp: | -40 °C ... 55 °C |
| Weight: | 0.19 kg |
| Dimensions: | 65 x 139 x 30 mm |
| Supported languages: | Polish, English, Bulgarian, Croatian, Czech, French, Spanish, Dutch, German, Portuguese, Russian, Romanian, Serbian, Turkish, Ukrainian, Hungarian, Vietnamese, Italian |
| Manufacturer / Brand: | Hikvision |
| SAP Code: | 305302342 |
| Guarantee: | 3 years |

PRESENTATION


Front panel:




Rear view:




Connectors:



Connectors:



In the kit:



OUR OPINIONS



- Very easy installation.