

Code: DS-2FP2020

## AUDIO MODULE **DS-2FP2020** Hikvision

Net: **44.62 EUR** Gross: **54.88 EUR**

The DS-2FP2020 is designed to listen to sound from the surroundings and operate with DVRs. The device is equipped with microphone built-in inside aesthetic plastic housing, making it ideal for arranging practically at any room. It is perfect for suspended ceilings installations, because only part of the camera housing is visible for people. After installation it looks very aesthetic.



### SPECIFICATION

Bandwidth:	20 Hz ... 20 kHz
Operation area:	max. 70 m <sup>2</sup>
Gain adjustment:	✓
Power supply:	12 V DC
Current consumption:	25 mA (typical)
Output impedance:	600 Ω
Housing:	Plastic
Main features:	<ul style="list-style-type: none"><li>• SNR : 60 dB</li><li>• Very good sensitivity of the microphone</li><li>• Digital Noise Reduction</li><li>• Auto Gain Control</li><li>• Sensitivity adjustment</li><li>• Dynamic range : 70 dB (1kHz @ max. 1dB SPL)</li></ul>
Operation temp:	-30 °C ... 70 °C
Weight:	0.070 kg
Dimensions:	Ø 78 x 26 mm
Manufacturer / Brand:	Hikvision
SAP Code:	304900041
Guarantee:	<b>3 years</b>

### PRESENTATION

The device is tiny sizes:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Front view:



Mounting side view:





Gain adjustment:



Side view:



Connectors:





DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60