

Code: HT-6889

TEMPERATURE METER **HT-6889** -50 °C ... 2200 °C

Net: 159.22 EUR Gross: 159.22 EUR



The HT-6889 pyrometer allows for accurate, non-contact measurement of the object's temperature.

Attention! The device is not intended for medical use.

SPECIFICATION

Temperature measurement range:	-50 °C ... 2200 °C
Accuracy of temperature measurement:	• $\leq -23\text{ °C}$: $\pm 7\text{ °C}$, • -23 °C ... -2 °C : $\pm 4\text{ °C}$ • -2 °C ... 94 °C : $\pm 2.5\text{ °C}$ • 94 °C ... 1000 °C : $\pm 1\text{ °C}$ • $> 1000\text{ °C}$: $\pm 2\text{ °C}$
Measurement resolution:	• 0.1 °C @ $\leq 1000\text{ °C}$, • 1 °C @ $> 1000\text{ °C}$
Response time:	100 ms
Spectral range:	8 μm ... 14 μm
Main features:	• Built-in laser pointer, • Memory of the last 100 measurements • Selectable measurement unit: °C / °F • Automatic sleep mode after 7 s idle time • Low battery indicator • Probe • White backlight
Power supply:	9V, type 6F22 battery (not included)
Housing:	Plastic
Color:	Yellow + Black
Operation temp:	0 °C ... 50 °C
Permissible relative humidity:	< 90 %
Dimensions:	125 x 224 x 52 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Weight:	0.25 kg
Manufacturer / Brand:	Hti
Guarantee:	2 years

PRESENTATION

Front view:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Sides view:





Place for 9V battery:



In the kit:



All kit elements placed inside the aesthetic case:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

