

Code: FH-6001R

POWER GENERATOR **FH-6001R** 5600 W Honda GX 390 FOGO

Net: **1 446.30 EUR** Gross: **1 446.30 EUR**

Power Generator with manual start used as a power source in the event of power failure in the network or as a substitute power source on a construction site, plot, at home or in a workshop. The Honda engine used in the generator ensures high reliability and high work efficiency.

The genset engine's rubber stabilizers and engine mounts dampen vibrations and minimize noise.

The generator is equipped with an Automatic Voltage Regulation system AVR, which allows to eliminate unfavorable voltage fluctuations to a large extent.



SPECIFICATION

Nominal power:	5600 W
Maximum power:	6200 W
Output voltage:	230 V AC
Number of outlets:	• 1 pcs - single-phase 32 A (max), • 1 pcs - single-phase 16 A (max)
Built-in voltmeter:	—
Output frequency:	50 Hz
Voltage stabilization:	AVR
12V DC output:	—
Engine capacity:	389 cm ³
Engine type:	Honda GX 390 1 cylinder, 4 stroke, gasoline, air cooled
Starting the engine:	Manual
Noise level during operation:	97 dB
Average fuel consumption:	2.7 l/h
Fuel tank capacity:	6.1 l
Fuel gauge:	—
Main features:	• Working time with a full fuel tank : 2.25 h - 75 % power, • Low oil level indicator light
Color:	White + Black
Weight:	67.9 kg

Dimensions:	790 x 580 x 505 mm
Manufacturer / Brand:	FOGO
Guarantee:	3 years - The condition is to conduct paid service every year - a warranty inspection at authorized Honda or FOGO service stations, otherwise 12 months


PRESENTATION



Front panels of the sockets:




Device sockets:






Oil drain plug:



Spark plug:






The engine is started manually with a recoil starter:





Ignition switch:



Oil filler:



Fuel filler:



Air filter:



Choke lever and fuel valve:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------