

Code: APTI-W31Q1-36W

IP PTZ CAMERA INDOOR **APTI-W31Q1-36W** LongPlus Wi-Fi - 3 Mpx 3.6 mm

Net: **24.03 EUR** Gross: **29.56 EUR**

The cameras cooperating with the user-friendly LongPlus platform have been designed with special care to simplify the configuration process and enable the user to create a simple and effective monitoring system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 100 m.

Attention! Camera for indoor use only. Devices cooperating with the LongPlus platform do not have a WEB interface. The camera works only with the mobile application (the camera does not work with recorders).



SPECIFICATION

| | |
|----------------------------|---|
| Standard: | TCP/IP |
| Sensor: | 1/2.9 " Progressive Scan CMOS |
| Matrix size: | 3 Mpx |
| Resolution: | 2304 x 1296 - 3 Mpx |
| Lens: | 3.6 mm |
| View angle: | <ul style="list-style-type: none">• 79 ° (manufacturer data)• 70 ° (our tests result) |
| Range of IR illumination: | 30 m |
| Horizontal rotation range: | 0 ° ... 355 ° - Rotation of the head is limited by stops |
| Vertical rotation range: | 0 ° ... 95 ° |
| Audio: | <ul style="list-style-type: none">• Microphone built-in,• Speaker built-in,• Audio transmission via network,• Bi-directional audio streaming support |
| Image compression method: | H.265 |
| Main stream frame rate: | 20 fps @ 3 Mpx |
| Network protocols: | TCP/IP, UDP, DHCP, NTP |
| Network interface: | Wi-Fi - IEEE 802.11 b/g/n |
| ONVIF: | — |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-----------------------------|--|
| WEB Server: | — |
| Mobile phones support: | Access by a cloud (P2P) <ul style="list-style-type: none"> • Android: Free application LongPlus • iOS (iPhone): Free application LongPlus |
| Default IP address: | DHCP |
| Web browser access ports: | — |
| PC client access ports: | — |
| Mobile client access ports: | — |
| Port ONVIF: | — |
| RTSP URL: | — |
| Memory card slot: | Micro SD memory cards up to 128GB support (possible local recording) |
| Main features: | <ul style="list-style-type: none"> • Wi-Fi Module - IEEE 802.11 b/g/n, Range : 100 m (open area) • Motion Detection • RESET button |
| Power supply: | 5 V DC / 1.5 A (power adapter included) or USB |
| Power consumption: | < 6 W |
| Housing: | Speed Dome, Plastic |
| "Index of Protection": | — |
| Weight: | 0.18 kg |
| Dimensions: | Ø 80 x 105 mm |
| Supported languages: | English |
| Manufacturer / Brand: | APTI |
| Guarantee: | 2 years |

PRESENTATION

Small dimensions camera:



Rear view:



Memory card slot and "Reset" button:



USB socket:





Mounting side view:



The attached bracket allows for mounting both on the wall and on the ceiling:





In the kit:



OUR OPINIONS



- Small dimensions of the camera.