

Code: TL-MR6400

ACCESS POINT 4G LTE +ROUTER **TL-MR6400** 300Mb/s TP-LINK

Net: **92.13 EUR** Gross: **92.13 EUR**

The TL-MR6400 Wireless Router, operating in accordance with the 802.11 b/g/n standard, allows to share a network connection between several users in areas that are covered by 3G/4G signal.

The device does not require any additional configuration, it is ready to use immediately after placing the SIM card inside and connecting the power supply.



SPECIFICATION

| | |
|--------------------------------|---|
| Frequency range: | 2.4 GHz |
| Antenna type: | 2 x WiFi built-in , 2 x 4G LTE - 2 x SMA socket - Possibility to connect the wire antenna |
| Standards: | 802.11n/g/b IEEE 802.3/3u |
| Baud rates: | 11n : 300 Mbps 11g : 54 Mbps 11b : 11 Mbps LTE : 150 Mbps |
| Modulation type: | DBPSK, DQPSK, CCK OFDM, 16-QAM, 64-QAM |
| LAN ports: | <ul style="list-style-type: none">• 1 x 10/100 Mbps - LAN/WAN• 3 x 10/100 Mbps - LAN |
| Receiver sensitivity: | <ul style="list-style-type: none">• 11g 54M: -74dBm• 11n HT20: -71dBm• 11n HT40: -67dBm |
| LTE: | ✓ |
| QSS: | ✓ |
| WDS: | ✓ |
| Power supply: | 9 V DC / 1 A (power adapter included) |
| Operation temp: | 0 °C ... 40 °C |
| Permissible relative humidity: | max. 95 % (non-condensing) |
| Main features: | <ul style="list-style-type: none">• SIM socket• WPS/RESET button |
| Weight: | 0.354 kg |
| Dimensions: | 202 x 141 x 34 mm |

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

| | |
|-----------------------|---------|
| Manufacturer / Brand: | TP-LINK |
| Guarantee: | 3 years |

PRESENTATION

Front view:



Rear panel:



In the kit:



PACKAGE

| | |
|----------------------------------|--------------------|
| Dimensions (L x W x H): 0x0x0 mm | Gross Weight: 0 kg |
|----------------------------------|--------------------|

