

Code: UNIFI-UAP-AC-LITE

ACCESS POINT **UNIFI-UAP-AC-LITE** UBIQUITI

Net: **107.96 EUR** Gross: **132.79 EUR**

The UBIQUITI UNIFI-UAP-AC-LITE is a device working in 2x2 MIMO (Multiple Input Multiple Output) standard.

The device is easy to use and manage. The distinguishing feature of the product is additional software UniFi WiFi Enterprise System, which enables configuration and management of the UniFi devices network, from computer via a web browser.



SPECIFICATION

Frequency range:	<ul style="list-style-type: none">• 5150 MHz ... 5875 MHz,• 2412 MHz ... 2462 MHz
Antenna type:	2Tx 2Rx MIMO, 2.4 GHz / 5.0 GHz - 3 dBi, Integrated - 2 x Omnidirectional antenna
Standards:	<ul style="list-style-type: none">• IEEE 802.11ac,• IEEE 802.11b,• IEEE 802.11g,• IEEE 802.11n
Baud rates:	<ul style="list-style-type: none">• 867 Mbps @ 5 GHz,• 300 Mbps @ 2.4 GHz
Wireless transmission range:	122 m
Protections:	WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES)
LAN ports:	1 x 10/100/1000 Mbps
Operating system:	UniFi WiFi Enterprise System
Transmitter power:	<ul style="list-style-type: none">• 20 dBm @ 2.4 GHz (max)• 20 dBm @ 5.0 GHz (max)
Power supply PoE:	Ubiquiti Passive PoE
Power supply:	24 V / 0.5 A - PoE Adapter - included
Power consumption:	6.5 W
Main features:	<ul style="list-style-type: none">• Possibility to mount on the wall or ceiling• UniFi WiFi Enterprise System• AP placement and RF maps• Easy and uniform management system for many devices• Intuitive installation and configuration of many advanced functions

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Operation temp:	-10 °C ... 70 °C
Permissible relative humidity:	5 % ... 95 %
Weight:	<ul style="list-style-type: none">• 0.19 kg• 0.27 kg (with mounting kits)
Dimensions:	Ø 160 x 31.5 mm
Manufacturer / Brand:	UBIQUITI
Guarantee:	2 years

PRESENTATION

Bottom view:



Mounting side view:





Dimensions:



Connectors:



In the kit:



OUR OPINIONS



- Modern and ergonomic design.