

Code: TL-WR850N

ROUTER **TL-WR850N** 300 Mbps TP-LINK

Net: **21.70 EUR** Gross: **26.69 EUR**

The TL-WR850N is a wideband router (for cable modem) and 4-port FastEthernet switch.

Main applications include Internet accesses in small and medium size businesses, SOHO, and homes.

The TL-WR850N ensures advanced access control and QoS, its DHCP server supports static assignment of IP addresses. The device also supports virtual servers, DMZ zone, remote logging and management.



SPECIFICATION

Frequency range:	2.4 GHz ... 2.4835 GHz
Antenna type:	2 x 5 dBi Omnidirectional antenna
Standards:	IEEE 802.11 b/g/n
Baud rates:	300 Mbps
LAN ports:	<ul style="list-style-type: none">• 1 x 10/100 Mbps - WAN,• 4 x 10/100 Mbps - LAN
LED indicators:	Power, WiFi, LAN, INTERNET, WPS
DDNS:	<ul style="list-style-type: none">• No-IP• DynDNS• Comexe
DHCP server:	✓
Firmware update:	✓
Operation modes:	Router
Protections:	WEP 64/128-bit, WPA/WPA2, WPA-PSK/WPA2-PSK Support DoS defence SPI network firewall IP addresses filtering MAC addresses filtering Hardware supports IP + MAC binding based on port
Management interface:	Web browser
Transmitter power:	max. 20 dBm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Main features:	<ul style="list-style-type: none"> • RESET button • WPS button • Built-in 4-port switch • Guest Network - a separate and secure network for guests • 2x2 MIMO • Smooth transmission in HD quality - IGMP Proxy/Snooping, Bridge VLAN, Tag VLAN functions contribute to optimal IPTV transmission • Enable/disable wireless network • Bridge WDS • Wireless transmission statistics • QoS : WMM (Wi-Fi Multimedia), Rate limit • Static / dynamic routing • WAN : PPPoE, PPTP, L2TP • Access control • Remote management - TR-069 • DHCP client list • DMZ • MAC address cloning • Firewall • parental control • Port forwarding • IPv4/IPv6
Power supply:	9 V DC / 0.6 A (power adapter included)
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.18 kg
Dimensions:	182 x 128 x 35 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	3 years

PRESENTATION

Top view:



Bottom view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:

