

Code: ALINK-M960

# MODEM 4G LTE, MOBILE ROUTER **ALINK-M960** Wi-Fi 150Mb/s

Net: **29.00 EUR** Gross: **35.67 EUR**

Portable LTE hotspot. The device does not require any additional configuration, it is ready to use immediately after placing the SIM card inside and connecting the power supply.

The ALINK-M960 supports the latest generation of 4G FDD/TDD-LTE connections, ensuring a seamless connection to the Internet in most countries and regions. The device allows you to easily share the network connection up to 10 devices simultaneously.



## SPECIFICATION

Frequency range:	2.4 GHz
Antenna type:	1 x WiFi - Internal antenna , 1 x 4G LTE - Internal antenna
Standards:	IEEE 802.11 b/g/n, 4G LTE, 3G DC-HSPA+/HSPA/UMTS
Baud rates:	<ul style="list-style-type: none"><li>• LTE : 150 / 50 Mbps,</li><li>• 11n : 300 Mbps,</li><li>• 11g : 54 Mbps,</li><li>• 11b : 11 Mbps</li></ul>
Network type:	<ul style="list-style-type: none"><li>• 4G : FDD-LTE B1/B3/B7/B8/B20 - 2100 / 1800 / 2600 / 900 / 800 MHz</li><li>• 4G : TDD-LTE B38/B40 - 2600 / 2300 MHz</li><li>• 3G : DC-HSPA+/HSPA/UMTS B1/B8 - 2100 / 900 MHz</li></ul>
LAN ports:	—
Ports:	<ul style="list-style-type: none"><li>• 1 x micro USB - Battery charging</li><li>• 1 x SIM socket</li></ul>
Receiver sensitivity:	<ul style="list-style-type: none"><li>• 11b 11 Mbps : -87.5 dBm</li><li>• 11g 54 Mbps : -74 dBm</li><li>• 11n HT20 MCS7 : -70 dBm</li><li>• 11n HT40 MCS7 : -68 dBm</li></ul>
Transmitter power:	< 20 dBm
Main features:	<ul style="list-style-type: none"><li>• ON/OFF button</li><li>• RESET button</li><li>• LED diodes : GSM, Battery</li><li>• Transmission encryption : WPA-PSK/WPA2-PSK</li><li>• MAC addresses filtering</li><li>• SSID hiding</li><li>• DHCP server</li><li>• DHCP client list</li><li>• Max. number of supported devices : 10</li><li>• Backup time max. 6 h</li><li>• Remote management - Web browser</li><li>• Default address : 192.168.100.1</li><li>• System requirements : Windows XP/Vista/7/8/10, Mac OS, Android, iOS (iPhone, iPad)</li></ul>

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Power supply:	<ul style="list-style-type: none"> <li>• 1800 mAh Battery</li> <li>• 5 V DC / 1 A Charging via micro USB port</li> </ul>
Operation temp:	0 °C ... 35 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.042 kg
Dimensions:	98 x 59 x 13 mm
Manufacturer / Brand:	ALINK
Guarantee:	2 years

## PRESENTATION



micro USB connector:




Internal view of the housing:





Example captures of device interface:



In the kit:

