

Code: ACB-AC

ACCESS POINT +ROUTER **ACB-AC** Wi-Fi 5, 5 GHz, 2.4 GHz, 867 Mbps + 300 Mbps UBIQUITI

Net: **98.03 EUR** Gross: **98.03 EUR**

The UBIQUITI ACB-AC is a device working in 2x2 MIMO (Multiple Input Multiple Output) standard.

The device has been designed to work with the airMAX CPE and is intended for home use.



SPECIFICATION

Frequency range:	5 GHz , 2.4 GHz ,
Antenna type:	2x2 MIMO - built-in • 4 dBi @ 2.4 GHz • 5 dBi @ 5 GHz
Standards:	IEEE 802.11ac, Wi-Fi 5
Baud rates:	867 Mbps @ 5 GHz + 300 Mbps @ 2.4 GHz
Protections:	WPA2
LAN ports:	4 x 10/100/1000 Mbps
Transmitter power:	22 dBm (max)
Power supply PoE:	Ubiquiti Passive PoE
Power supply:	• 24 V DC / 830 mA - (power adapter included) • PoE 24 V - Port 1
Power consumption:	≤ 8.5 W
Main features:	• PoE OUT 24 V - port WAN, (4, 5+; 7, 8-) • Wi-Fi 5 • Easy and uniform management system for many devices • Intuitive installation and configuration of many advanced functions • MU-MIMO - a multi-antenna transmission function that allows to increase the bandwidth and reliability of connection with the client of the network
Operation temp:	-10 °C ... 50 °C



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Permissible relative humidity:	5 % ... 95 %
Weight:	0.28 kg
Dimensions:	89 x 90 x 89 mm
Manufacturer / Brand:	UBIQUITI
Guarantee:	2 years

PRESENTATION

Rear view:



Connectors:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Bottom view:



In the kit:



OUR OPINIONS



- Modern and ergonomic design.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

