

Code: RG-EG209GS

ROUTER **RG-EG209GS** REYEE

Net: **158.08 EUR** Gross: **158.08 EUR**

The RG-EG209GS Gigabit VPN Router supports many VPN protocols, providing high performance and high security. Operation integrated with the Ruijie Cloud platform enables central management from the cloud and Ruijie Reyee application.

4 Gigabit Ethernet WAN ports with bandwidth load balance raise the utilization rate of multi-line broadband.



SPECIFICATION

Standards:	IEEE 802.3, IEEE 802.3u, IEEE 802.3x, 802.3z
LAN ports:	• 7 x LAN 10/100/1000 Mbps (RJ-45) • 2 x LAN/WAN 10/100/1000 Mbps (RJ-45) • 1 x LAN/WAN 1000 Mbps - port SFP
WAN interface:	• 1 x WAN x 10/100/1000 Mbps (RJ-45)
LED indicators:	Status, Link/Act
DDNS:	✓
DHCP server:	✓
Port USB:	—
Firmware update:	✓
Power supply PoE:	—
Protections:	• ACL • IP-MAC Binding • MAC addresses filtering • Support for dynamic ARP mapping and static table • NAT / NAPT • Port Mapping
Management interface:	• Ruijie Cloud Central Management System • Configuration using the Ruijie Reyee application • Remote management • Web browser
Mobile phones support:	Android: Free application Ruijie Reyee iOS (iPhone): Free application Ruijie Reyee

Main features:	• VPN networks: IPsec VPN, Open VPN, L2TP VPN, PPTP VPN, etc. • Static / dynamic routing • WAN : PPPoE, PPTP, L2TP • DHCP client/server support • Access Control List - ACL package filtering based on source and destination IP addresses • Rate limit • Load balance • NAT • Reboot schedule • View topology and network status • RESET button
Power supply:	12 V DC / 1.5 A (power adapter included)
Power consumption:	≤ 18 W
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	10 % ... 90 % (non-condensing)
Weight:	0.54 kg
Dimensions:	202 x 110 x 29 mm
Manufacturer / Brand:	RUIJIE / REYEE
Guarantee:	2 years

PRESENTATION

Front panel:



Rear panel:





In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60