

Code: RG-EW300PRO

ROUTER **RG-EW300PRO** 2.4 GHz 300 Mbps REYEE

Net: **17.07 EUR** Gross: **17.07 EUR**

The RG-EW300PRO is a wideband router (for cable modem) and 3-port FastEthernet switch. The device broadcasts the 4th generation Wi-Fi network in the 2.4 GHz band.

Main applications include Internet accesses in small and medium size businesses, SOHO, and homes.

The device also supports virtual servers, DMZ zone, remote logging and management.



SPECIFICATION

Frequency range:	2.4 GHz
Antenna type:	4 x Omnidirectional antenna - Integrated, 5 dBi @ 2.4 GHz 2x2 MU-MIMO
Standards:	IEEE 802.11 a/b/g/n
Baud rates:	300 Mbps
LAN ports:	3 x 10/100 Mbps LAN 1 x 10/100 Mbps Uplink
LED indicators:	Status
DDNS:	✓
DHCP server:	✓
Firmware update:	✓
Protections:	WPA/WPA2 TCP Flood network attacks protection
Management interface:	Web browser, Configuration using the Reyee Router application
Mobile phones support:	Android: Free application Reyee Router iOS (iPhone): Free application Reyee Router
Transmitter power:	max. 20 dBm
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	≤ 12 W

Main features:	• MU-MIMO - a multi-antenna transmission function that allows to increase the bandwidth and reliability of connection with the client of the network • Static / dynamic routing • Built-in 3-port switch • Access Point • Remote management • DMZ • UPnP • Port forwarding • parental control • Guest Network - a separate and secure network for guests • DHCP client list • SSID hiding
Operation temp:	0 °C ... 45 °C
Permissible relative humidity:	5 % ... 95 % (non-condensing)
Weight:	0.26 kg
Dimensions:	210 x 180 x 33 mm
Manufacturer / Brand:	RUIJIE / REYEE
Guarantee:	2 years

PRESENTATION

Front panel:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------