

Code: TL-RE200

UNIVERSAL WI-FI RANGE EXTENDER **TL-RE200** 2.4 GHz, 5 GHz TP-LINK

Net: **26.63 EUR** Gross: **32.75 EUR**

The TL-RE200 device greatly extends existing wireless coverage in difficult-to-wire and "dead zones" places. Small dimensions and possibility to connect to the mains socket allow to easy install the device at destination place.

Easily extends your wireless network at a push of the Range Extender button. Ethernet port allows the device to function as a wireless adapter and connect wired devices via Ethernet cable.



SPECIFICATION

Frequency range:	2.4 GHz, 5 GHz
Antenna type:	3 x Antenna Indoor
Standards:	IEEE 802.11 b/g/n/ac
Baud rates:	<ul style="list-style-type: none">• 300 Mbps @ 2.4 GHz• 433 Mbps @ 5 GHz
Receiver sensitivity:	<p>2.4 GHz :</p> <ul style="list-style-type: none">• 270 Mbps : -70dBm@10% PER• 130 Mbps : -70dBm@10% PER• 108 Mbps : -73dBm@10% PER• 54 Mbps : -75dBm@10% PER• 11 Mbps : -86dBm@8% PER• 6 Mbps : -92dBm@10% PER• 1 Mbps : -94dBm@8% PER <p>5 GHz :</p> <ul style="list-style-type: none">• 390 Mbps : -60dBm@10% PER• 180 Mbps : -64dBm@10% PER• 78 Mbps : -68dBm@10% PER• 54 Mbps : -75dBm@10% PER• 29.3 Mbps : -83dBm@10% PER• 13.5 Mbps : -87dBm@10% PER• 6.5 Mbps : -90dBm@10% PER
LED indicators:	5 GHz, 2.4 GHz, WLAN, LAN, Power, Signal indicator
QSS:	—
Operation modes:	Range Extender - signal amplifier
Protections:	64/128/152-bit WEP, WPA-PSK/WPA2-PSK
LAN ports:	1 x 10/100Mb

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Management interface:	Web browser
Transmitter power:	< 20 dBm (EIRP)
Main features:	<ul style="list-style-type: none"> • WMM (Wi-Fi Multimedia) • MAC addresses filtering • Wireless transmission statistics • Domain Login Function • Access control
Power supply PoE:	—
Power supply:	230 V AC
Power consumption:	~ 6.5 W
Operation temp:	0 °C ... 40 °C
Permissible relative humidity:	10 % ... 90 %
Weight:	0.1 kg
Dimensions:	110 x 75 x 66 mm
Manufacturer / Brand:	TP-LINK
Guarantee:	3 years

PRESENTATION

Front panel (LED indicators):



Bottom view:



Rear view:

