

Code: S12D

VIDEO DOORPHONE **S12D** VIDOS

Net: **114.75 EUR** Gross: **114.75 EUR**



Video Doorphone is mounted in a surface-mounted housing. The VIDOS X series of analog video doorphones stands for the premium class and the use of the latest and technologies most desired by users.

The S12D is designed to cooperation with video doorphones and panels working in analog VIDOS X system.

SPECIFICATION

Compatibility:	VIDOS X Analog Video Doorphones
Sensor:	CMOS 2.1 Mpx, 1080p
View angle:	130 °
IR illuminator:	✓
LED illuminator:	—
proximity reader built-in:	—
Fingerprint reader built-in:	—
Built-in keypad:	✓
The number of subscribers served:	1
Video output:	compatible with VIDOS X analog video door-phone system
Main features:	• ICR - Movable InfraRed filter • Vandal-proof front panel • Keyboard built-in • Keypad backlight buttons • Programming via the keyboard • Illuminated call button • Volume adjustment • Operation mode : AHD / PAL - selectable by switch • Electric strikes and electromagnetic locks support • Electric strike control - relay contact : NO/NC
Power supply:	From internal panel : 12 ... 15 V DC
Housing:	Aluminum alloy - Vandal-proof, Waterproof

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	Gray / Graphite
"Index of Protection":	IP66
Operation temp:	-40 °C ... 50 °C
Weight:	0.31 kg
Dimensions:	52 x 177 x 37 mm
Manufacturer / Brand:	VIDOS
Guarantee:	3 years

PRESENTATION

Front panel:



Rear view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors description:



View after removing the cover from the mounting side:




1 2

1. Volume adjustment

2. AHD / PAL switch

In the kit:



PACKAGE

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

