

Code: APB-200

WIRELESS PANIC BUTTON **APB-200** ABAX2 SATEL

Net: **49.98 EUR** Gross: **49.98 EUR**

This button is a device designed to instantly trigger the alarm and (or) initiate the procedure of reporting an emergency situation in protected facility to the monitoring station.

The APB-200 supports the other devices compatible with wireless ABAX2 system.



SPECIFICATION

Support:	Wireless alarm systems SATEL ABAX2
Frequency band:	868.0 ... 868.6 MHz
Radio communication range (at open area):	max. 2000 m @ ACU-220 , max. 1200 m @ ACU-280
Main features:	• Application : Internal • Bidirectional communication • Transmission encryption - AES • Frequency hopping against jamming for reliable transmission • Remote update of module software • Remote configuration • Signal indicator • battery diagnostics • The "ECO" option allows to extend the battery life up to four times (only in ABAX2) • LED indication • Tamper detection - opening the enclosure, removing from mounting surface
Power supply:	1 x battery CR14250 3 V (included)
Current consumption:	• 18 mA (max) • 55 µA (Standby mode)
Battery lifetime:	~ 2 years
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 % ± 3 %
Weight:	0.052 kg
Dimensions:	Ø 97 x 29 mm
Manufacturer / Brand:	SATEL




DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Guarantee:

2 years

PRESENTATION

Front view:




Rear view:



Internal view of the housing:



Description of particular elements of the device:



- 1. Battery
- 2. tamper contact
- 3. button
- 4. LED indicator
- 5. tamper contact
- 6. fixing screw hole

Example of application:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------