

Code: SH-750/595/322

HERMETIC ENCLOSURE **SH-750/595/322** 750 x 595 x 322 mm

Net: **212.88 EUR** Gross: **261.84 EUR**



SPECIFICATION

Material:	Aluminum PA11
Color:	Light gray (RAL 7035)
Mounting plate:	—
Main features:	<ul style="list-style-type: none">• Hermetic• Rubber gasket• Properties of PA11 aluminum :<ul style="list-style-type: none">- High corrosion resistance, including marine and industrial environments- Good tensile strength- High fatigue strength of the material• 2 pcs Rack rails slide out on the guides for mounting devices : Rack 19", 5 U (54 cm from the bottom, 20 cm from the top)• Holes for cables from the bottom : Ø 16 mm - 6 pcs• The door opens to the right (max. 180°), secured with a brass handle with a lock and a three-point locking system• Enclosure adapted to be mounted on a wall or on a mast (with a dedicated bracket)• "Index of Protection" : IP55• Vandal-proof housing (IK10)
Weight:	9.2 kg
Housing external dimensions:	750 x 595 x 322 mm
Internal dimensions:	580 x 710 x 285 mm
Guarantee:	2 years

PRESENTATION

Internal view of the housing:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Rack rails slide out on the guides for mounting devices:





Mounting side view:



Bottom view:





In the kit:

