

Code: ATLO-SW2-TUYA

DUAL SMART LED LIGHTING CONTROLLER **ATLO-SW2-TUYA** Wi-Fi, Tuya Smart


Net: **9.82 EUR** Gross: **9.82 EUR**

The ATLO-SW2-TUYA controller allows you to control LED lighting wirelessly via the application or via a connected button. For proper functioning of the device, it is necessary to connect it to the Wi-Fi network with Internet access. In the absence of Wi-Fi, the device can be controlled locally via Bluetooth (previously it must be added to the Tuya platform using Wi-Fi with Internet access).

Beyond direct control, the device has the ability to program the on and off schedule and linking to different system events. It is possible to create action scenarios with other devices. Voice control allows you to control the device via voice commands from Amazon Alexa or the Google Assistant (Internet access required).

Tuya is an international home automation platform that connects thousands of products made by different manufacturers. The system can support all the most popular communication protocols such as Wi-Fi, Zigbee, Bluetooth.

Attention! Controlling the device and schedule settings is possible if the device has access to the Internet.




SPECIFICATION

Application:	switching devices on/off
Number of channels:	2
Power supply:	100 ... 240 V AC, 50 / 60 Hz
Maximal total load:	2 x 150 W
Total maximal current:	2 x 5 A
Number of inputs:	2
Number of outputs:	2
Connector type:	screw terminals
Wireless:	• Wi-Fi, 2.4 GHz - IEEE 802.11 b/g/n • Bluetooth
Radio communication range:	< 100 m (open area)
Mobile phones support:	• The Tuya Smart free application on Android • The Tuya Smart free application on iOS
Main features:	• Local control by physical button , - Tuya Smart : • schedule, • timer, • Setting scenarios by different events, • remote access, • voice control ,
Housing:	Plastic
"Index of Protection":	IP20

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

Color:	White
Operation temp:	-10 °C ... 40 °C
Weight:	0.03 kg
Dimensions:	43 x 39 x 22 mm
Guarantee:	2 years

PRESENTATION





PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------