

Code: ATLO-PBT-1

# NO-TOUCH DOOR EXIT BUTTON **ATLO-PBT-1** Wi-Fi, Tuya Smart

Net: 20.09 EUR Gross: 20.09 EUR



No-touch button to trigger the door opening signal in access control systems.

ATTENTION! Device is designed for indoor use only.

Tuya is an international home automation platform that connects thousands of products made by different manufacturers. The system can support all the most popular communication protocols such as Wi-Fi, Zigbee, Bluetooth.

**Attention!** Controlling the device is possible if the device has access to the Internet - control from the Tuya application. Tuya Smart application works perfectly with Google Assistant, Amazon Alexa and many others, which allows you to control connected devices using voice commands.

## SPECIFICATION

Contact type:	NO, NC
Detection range:	10 mm ... 100 mm
Mobile phones support:	It is possible to operate via the Wi-Fi network from the mobile application on the iOS, Android systems : <ul style="list-style-type: none"><li>• The <a href="#">Tuya Smart</a> free application on Android</li><li>• The <a href="#">Tuya Smart</a> free application on iOS</li></ul>
Main features:	<ul style="list-style-type: none"><li>• The ability to open with the application for smartphones - Wi-Fi Module,</li><li>• White backlight + green</li></ul>
Power supply:	9 ... 12 V DC
Current consumption:	max. 80 mA (Standby mode) < 600 mA (operation)
Material:	Plastic
Color:	Black + Silver
Operation temp:	-30 °C ... 60 °C
Permissible relative humidity:	20 ... 80 % (non-condensing)
Weight:	0.06 kg
Dimensions:	70 x 115 x 21 mm
Manufacturer / Brand:	ATLO
Guarantee:	2 years

## PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Front panel:




Mounting side view:



Connectors description:



Internal view:



In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------