

Code: FAAC-D700HS/KIT

GARAGE DOOR OPENER FAAC-D700HS/KIT

Net: 152.49 EUR Gross: 152.49 EUR

The FAAC-D700HS/KIT electromechanical operator is designed to work with sectional garage doors. Thanks to many technological facilities, the device is safe and comfortable to use.

The automatic gate closing function allows to set the time from the total opening, after which the gate will close automatically. Thanks to the built-in overload protection, if a gate collision with an obstacle is detected during closing, the operator will immediately stop and then open the gate. It is possible to manually unblock the operator at any time by means of a clutch releasing the gate guide. Built-in electronic, adjustable carriage speed limiter and a lamp for lighting the interior of the garage.

The kit includes: operator - model D700HS with built-in controller, XF868 radio communication module, XT2 radio remote control, and necessary mounting accessories.

Attention! The kit does not include a track. Compatible with the FAAC system, tracks of various lengths are available separately.



SPECIFICATION

| | |
|--|---|
| Gate operator type: | For sectional garage doors |
| Opening and closing force: | 700 N |
| Automatic closing of the gate: | ✓ |
| Automatic locking of the operator: | ✓ |
| Limit switch: | Electronic (extreme gate positions must be programmed manually) |
| Possibility of connecting the photocell: | — |
| Possibility of connecting the signal lamp: | ✓ |
| Wireless transmission range: | ≥ 50 m (in open area) |
| Frequency bandwidth of the system: | 868.35 MHz |
| Main features: | <ul style="list-style-type: none">• Built-in electronic, adjustable carriage speed limiter and a lamp for lighting the interior of the garage• Closing and opening force adjustment• Overload obstacle detection system - when an obstacle is encountered by the gate, the operator will stop immediately and then change the direction of the gate's movement• The automatic gate closing function allows to set the time from the total opening, after which the gate will close automatically |
| Power supply: | 220 ... 240 V AC |
| Housing: | Plastic |
| Color: | Gray |
| Operation temp: | -20 °C ... 55 °C |
| Weight: | 4.19 kg |
| Dimensions: | 360 x 200 x 145 mm |
| Manufacturer / Brand: | FAAC |
| Guarantee: | 2 years |

PRESENTATION



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Mounting side view:



Built-in lamp:



Gate operator controller:





The kit includes e.g. radio communication module:



Remote control:



In the kit:

