

Code: AWO-500

**ALARM CONTROL PANEL ENCLOSURE AWO-500**Net: **65.61 EUR** Gross: **80.70 EUR**

Enclosure is designed to indoor use, it has also very good corrosion protection.

**SPECIFICATION**

Transformer:	40 VA
Place for battery:	7 Ah / 12 V, 17 Ah / 12 V
Tamper protection:	TAMPER switch indicating open the cover
Current-carrying capacity of TAMPER output:	max. 500 mA @ 50 V DC
"Index of Protection":	IP20
Key closed:	✓
Main features:	<ul style="list-style-type: none"> <li>• Flush</li> <li>• Removable mounting plate</li> <li>• Enclosure has a distance from a wall</li> </ul>
Application:	<ul style="list-style-type: none"> <li>• Alarm control panel :</li> <li>DSC: PC1616, 1832, 1864, 4020+ 5108 ( 4108, 5208, 5100, 4116)Moduły/modules:</li> <li>1) 3x ( 4108, 5108, 5208, 5100, 4116)2) 4204, 4216, 4580, 5400, 5204, 5580, 5200+ 5108 ( 4108, 5208, 5100, 4116)</li> <li>PARADOX: 728 ULT, E55, 65, SP4000, SP5500, 6000, 7000, EV048, 192+ ZX4Moduły/modules:</li> <li>1) ZX8, APR3- HUB2, PGM42) 2x ZX4</li> <li>RISCO: 1) PRO24, 116, 128, 140Moduły/modules: EZ16 ( E04, EZ8)</li> <li>SATEL: 1) CA4V1, 5,6,10, VERSA 5,10,15, INTEGRA 24, 32+ CA64E ( CA10E, SM, MST1)Moduły/modules: CA64 ( PP, EPS, ADR, O-R, O-ROC, O-OC, OPS-OC, OPS-R, OPS-ROC,VGM 16, SR,DR, PTSA, ACC-KP-PS) + CA64E ( CA10E, MST1, SM)</li> <li>PYRONIX: 1) MATRIX 424, 6, 816, 832, 832+</li> <li>CROW: 1) RUNNER 4,8</li> <li>TELMOR: 1) TCA- 824</li> <li>ROEL: SIGMA 6,12, CERBER</li> <li>ROGER: 1) PR402, CPR 32- SE</li> <li>EBS: 1) PX 202A</li> <li>PULSAR: 1) MS1512, MSR1512, MSRK1512 2) MS2512, MSR2512, MSRK2512</li> <li>• GSM</li> <li>• Radio module</li> <li>• and others</li> </ul>
Power adapter included:	✓
Voltage:	<ul style="list-style-type: none"> <li>• 16 V AC</li> <li>• 18 V AC</li> </ul>
Operation temp:	-10 °C ... 40 °C
Dimensions:	310 x 305 x 100 mm

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
 POL; 60-713 Poznań; Graniczna 10  
 e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60


Weight:	4.65 kg
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

## PRESENTATION

Front view:




Internal view of the housing:



Mounting side view:



Dimensions:



In the kit:

