

Code: HDD-ST6000VX0001

# HDD FOR DVR **HDD-ST6000VX0001** 6TB 24/7 SURVEILLANCE SEAGATE

Net: **148.96 EUR** Gross: **183.22 EUR**



Internal, 3.5" HDD with excellent performance.

The disk is designed for reliable 24-hour operation in CCTV surveillance systems. Serial ATA interface connection.

**Attention!** From 01.06.2020 we do not provide disk mounting services in recorders.

## SPECIFICATION

Capacity:	6 TB
Interface:	Serial ATA/600
Spindle speed:	7200 RPM
Size format:	3.5 "
Cache memory:	128 MB
Average latency:	9 ms
Technology:	<ul style="list-style-type: none"><li>• NCQ - Native Command Queuing</li><li>• AcuTrac - technology provides high reliability and performance of reading/writing in harsh environments</li></ul>
Designed to continuous operation 24/7:	✓
Weight:	0.772 kg
Manufacturer / Brand:	SEAGATE
Guarantee:	2 years

## PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Top view:



The Seagate drives marked SURVEILLANCE HDD are designed to work in video surveillance systems. Its design allows for error-free recording of several Full HD streams in 24/7 mode.

Connectors:



Memory storage for video recording:

Cameras amount	Main stream	Disk usage	Disk usage	1TB	2TB	3TB	4TB	6TB
pcs	kb/s	MB/h	GB/24h	Number of days	Number of days	Number of days	Number of days	Number of days
1	750	329,6	7,7	120,5	241,0	361,6	482,2	723,3
1	1000	439,5	10,3	90,4	180,8	271,2	361,7	542,5
1	2000	878,9	20,6	45,2	90,4	135,6	180,8	271,2
1	2500	1098	25,7	36,2	72,3	108,5	144,7	217,1
1	3000	1318	30,9	30,1	60,3	90,4	120,6	180,9
1	4000	1757	41,2	22,6	45,2	67,8	90,4	135,6
1	5000	2197	51,5	18,1	36,2	54,2	72,3	108,4
1	6000	2636	61,8	15,1	30,1	45,2	60,3	90,4
1	8000	3515	82,4	11,3	22,6	33,9	45,2	90,4
1	3000	1318	30,9	30,1	60,3	90,4	120,6	180,9
2	3000 x 2	2636	61,8	15,1	30,1	45,2	60,3	90,4
3	3000 x 3	3955	92,7	10,0	20,1	30,1	40,2	60,3
4	3000 x 4	5273	123,6	7,5	15,1	22,6	30,1	45,1
6	3000 x 6	7910	185,4	5,0	10,0	15,1	20,1	30,1
8	3000 x 8	10546	247,2	3,8	7,5	11,3	15,1	22,6
10	3000 x 10	13183	309,0	3,0	6,0	9,0	12,1	18,2
12	3000 x 12	15820	370,8	2,5	5,0	7,5	10	15
16	3000 x 16	21093	494,4	1,9	3,8	5,6	7,5	11,3
20	3000 x 20	26367	618,0	1,5	3,0	4,5	6,0	9
25	3000 x 25	32959	772,5	1,2	2,4	3,6	4,8	7,2
32	3000 x 32	42187	988,8	0,94	1,88	2,82	3,77	5,67
64	3000 x 64	84375	1977	0,47	0,94	1,41	1,88	2,82