

Code: HDD-ST4000VX000

HDD FOR DVR **HDD-ST4000VX000** 4TB 24/7 SkyHawk

Net: **101.28 EUR** Gross: **124.57 EUR**



Internal, 3.5" HDD with excellent performance. The disk is designed for reliable 24-hour operation in CCTV surveillance systems. Serial ATA interface connection. When you purchase the HDD with DVR, the HDD montage into DVR and operating tests are free of charge.

SPECIFICATION

Capacity:	4 TB
Interface:	SATA 6 Gb/s
Spindle speed:	5900 RPM
Size format:	3.5 "
Cache memory:	64 MB
Average latency:	5 ms
Technology:	NCQ - Native Command Queuing
Designed to continuous operation 24/7:	✓
Weight:	0.604 kg
Manufacturer / Brand:	SEAGATE
Guarantee:	2 years

PRESENTATION

Top view:

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:



The Seagate drives marked SkyHawk are designed to work in video surveillance systems. Its design allows for error-free recording of several Full HD streams in 24/7 mode.

Memory storage for video recording:

Cameras amount	Main stream	Disk usage	Disk usage	1TB	2TB	3TB	4TB
pcs	kb/s	MB/h	GB/24h	Number of days	Number of days	Number of days	Number of days
1	750	329,6	7,7	120,5	241,0	361,6	482,2
1	1000	439,5	10,3	90,4	180,8	271,2	361,7
1	2000	878,9	20,6	45,2	90,4	135,6	180,8
1	2500	1098	25,7	36,2	72,3	108,5	144,7
1	3000	1318	30,9	30,1	60,3	90,4	120,6
1	4000	1757	41,2	22,6	45,2	67,8	90,4
1	5000	2197	51,5	18,1	36,2	54,2	72,3
1	6000	2636	61,8	15,1	30,1	45,2	60,3

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
 POL; 60-713 Poznań; Graniczna 10
 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

1	8000	3515	82,4	11,3	22,6	33,9	45,2
1	3000	1318	30,9	30,1	60,3	90,4	120,6
2	3000 x 2	2636	61,8	15,1	30,1	45,2	60,3
3	3000 x 3	3955	92,7	10,0	20,1	30,1	40,2
4	3000 x 4	5273	123,6	7,5	15,1	22,6	30,1
6	3000 x 6	7910	185,4	5,0	10,0	15,1	20,1
8	3000 x 8	10546	247,2	3,8	7,5	11,3	15,1
10	3000 x 10	13183	309,0	3,0	6,0	9,0	12,1
12	3000 x 12	15820	370,8	2,5	5,0	7,5	10
16	3000 x 16	21093	494,4	1,9	3,8	5,6	7,5
20	3000 x 20	26367	618,0	1,5	3,0	4,5	6,0
25	3000 x 25	32959	772,5	1,2	2,4	3,6	4,8
32	3000 x 32	42187	988,8	0,94	1,88	2,82	3,77
64	3000 x 64	84375	1977	0,47	0,94	1,41	1,88