

Code: HDD-WD10PURX

HDD FOR DVR **HDD-WD10PURX** 1TB 24/7 WESTERN DIGITAL

Net: **45.98 EUR** Gross: **56.56 EUR**



With IntelliPower technology the hard drives are dedicated to HD video recording in 24/7 continuous mode and have lower energy consumption. Serial ATA interface connection.

Attention! From 01.06.2020 we do not provide disk mounting services in recorders.

SPECIFICATION

| | |
|--|--|
| Capacity: | 1 TB |
| Interface: | Serial ATA/600 |
| Spindle speed: | 5400 RPM IntelliPower |
| Size format: | 3.5 " |
| Cache memory: | 64 MB |
| Technology: | <ul style="list-style-type: none">• NCQ - Native Command Queuing• Allframe - Reducing video frame "loss" phenomenon |
| Designed to continuous operation 24/7: | ✓ |
| Weight: | 0.445 kg |
| Manufacturer / Brand: | Western Digital |
| Guarantee: | 2 years |

PRESENTATION

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Connectors:



| Cameras amount | Main stream | Disk usage | Disk usage | 1TB | 2TB | 3TB | 4TB |
|----------------|-------------|------------|------------|----------------|----------------|----------------|----------------|
| pcs | kb/s | MB/h | GB/24h | Number of days | Number of days | Number of days | Number of days |
| 1 | 750 | 329,6 | 7,7 | 120,5 | 241,0 | 361,6 | 482,2 |
| 1 | 1000 | 439,5 | 10,3 | 90,4 | 180,8 | 271,2 | 361,7 |
| 1 | 2000 | 878,9 | 20,6 | 45,2 | 90,4 | 135,6 | 180,8 |
| 1 | 2500 | 1098 | 25,7 | 36,2 | 72,3 | 108,5 | 144,7 |
| 1 | 3000 | 1318 | 30,9 | 30,1 | 60,3 | 90,4 | 120,6 |
| 1 | 4000 | 1757 | 41,2 | 22,6 | 45,2 | 67,8 | 90,4 |
| 1 | 5000 | 2197 | 51,5 | 18,1 | 36,2 | 54,2 | 72,3 |
| 1 | 6000 | 2636 | 61,8 | 15,1 | 30,1 | 45,2 | 60,3 |
| 1 | 8000 | 3515 | 82,4 | 11,3 | 22,6 | 33,9 | 45,2 |
| 1 | 3000 | 1318 | 30,9 | 30,1 | 60,3 | 90,4 | 120,6 |
| 2 | 3000 x 2 | 2636 | 61,8 | 15,1 | 30,1 | 45,2 | 60,3 |
| 3 | 3000 x 3 | 3955 | 92,7 | 10,0 | 20,1 | 30,1 | 40,2 |
| 4 | 3000 x 4 | 5273 | 123,6 | 7,5 | 15,1 | 22,6 | 30,1 |
| 6 | 3000 x 6 | 7910 | 185,4 | 5,0 | 10,0 | 15,1 | 20,1 |
| 8 | 3000 x 8 | 10546 | 247,2 | 3,8 | 7,5 | 11,3 | 15,1 |
| 10 | 3000 x 10 | 13183 | 309,0 | 3,0 | 6,0 | 9,0 | 12,1 |
| 12 | 3000 x 12 | 15820 | 370,8 | 2,5 | 5,0 | 7,5 | 10 |
| 16 | 3000 x 16 | 21093 | 494,4 | 1,9 | 3,8 | 5,6 | 7,5 |
| 20 | 3000 x 20 | 26367 | 618,0 | 1,5 | 3,0 | 4,5 | 6,0 |
| 25 | 3000 x 25 | 32959 | 772,5 | 1,2 | 2,4 | 3,6 | 4,8 |
| 32 | 3000 x 32 | 42187 | 988,8 | 0,94 | 1,88 | 2,82 | 3,77 |
| 64 | 3000 x 64 | 84375 | 1977 | 0,47 | 0,94 | 1,41 | 1,88 |

Memory storage for video recording: