

Code: RC-8350H

## DVR **RC-8350H** 8 CHANNELS +eSATA

Net: **189.18 EUR** Gross: **189.18 EUR**

The RC-8350H digital recorder is a professional device applicable in surveillance systems. The H.264 video compression standard using to record video data, allows to get the best possible quality of recorded image at minimal network transfer and disk storage capacity. The menu options layout has been designed for all users, even beginners can easy navigate and change parameters in DVR settings without any problem.

**Attention!** For dynamic IP addresses we recommend to use [www.no-ip.com](http://www.no-ip.com) service. Please configure this service on your router, because a router is the first network device in properly designed LAN networks. We do not recommend to use the default configured DVR DDNS service, because the main server is located in the South Korea and there are big latency times.



### SPECIFICATION

Video inputs:	8 pcs BNC
Number of compression levels:	5
Video outputs:	1 pcs BNC 1 pcs VGA
Audio inputs:	4 pcs CINCH (cable not included)
Audio outputs:	1 pcs CINCH (cable not included)
Image compression method:	H.264
Image records resolutions:	704 x 576 704 x 288 352 x 288
Recording speed adjustment:	100, 200 fps to split to 8 channels
Maximal total frame rate:	200 fps @ 352x288 px, 200 fps @ 704x288 px, 100 fps @ 704 x 576 px
Recording modes:	Manual, Sensor, Motion detection, Schedule
Supported hard drives:	1 x 2 TB SATA 1 x 2 TB eSATA
External storage devices backup:	Backup to USB drive (pendrive, external drive)
Searching and playback the records:	Timeline search, events search, fast access to the first and the last record. Playback: forward, backward, fast, step
Network functions:	Network Client Software and IE browser: live view, playback and backup of the records, partial configuration of the recorder parameters
Mobile phones support:	Iphone and Android applications
Alarm inputs / outputs:	4 pcs Input / 1 pcs Output
PTZ control:	RS-485 Many protocols
Motion Detection:	Split the screen into zones 22x18 motion zones Very good sensitivity after motion detection records detected channels only
Mouse support:	✓
Power supply:	12 V DC / 5 A (power adapter included)

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60

Weight:	1.7 kg
Dimensions:	340 x 255 x 68 mm
Supported languages:	English, Chinese Simplified, Croatian, Czech, Greek, Japanese, Korean, German, Persian Polish, Portuguese, Russian, Turkish, Italian
Country of origin:	South Korea
Manufacturer / Brand:	NADATEL
Guarantee:	2 years

PRESENTATION

Front view:



Rear view:



In the kit:



Installation of video surveillance iUMS application in Android system smartphones:

:  
iUMS application usage in Android system smartphones:  
:

OUR OPINIONS



- Possibility to connect eSATA drive.
- Good motion detection sensitivity.
- DVR LAN network software allows to watch a few DVRs in the same time on one or several monitors connected to the same PC.



- Cables to AUDIO inputs and outputs are not included, to purchase separately.

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

