


Code: TT-9/32-FT

# MULTISWITCH **TT-9/32-FT** 9 INPUTS / 32 OUTPUTS TELMOR

Net: **248.37 EUR** Gross: **248.37 EUR**



TT-9/xxFT Multiswitches is a series of end multiswitches that allow to build large and very large collective installations. An undoubted advantage of multiswitches is the built-in characteristic pre-correction.

## SPECIFICATION

Inputs:	<ul style="list-style-type: none"><li>• 8x 950 MHz ... 2150 MHz,</li><li>• 1x 5 MHz ... 862 MHz</li></ul>
Outputs:	32
Switching signals:	<ul style="list-style-type: none"><li>• 13 V / 18 V,</li><li>• 0 Hz / 22 kHz,</li><li>• DiSEqC 2.0</li></ul>
SAT Tap loss:	-2 ... +1 dB
TV Tap loss:	<ul style="list-style-type: none"><li>• Passive : -25 ... -19 dB</li><li>• Active : -5 ... +1 dB</li></ul>
Return loss:	<ul style="list-style-type: none"><li>• TV input : 10 dB</li><li>• SAT input : 8 dB</li></ul>
Maximal output level SAT:	92 dB $\mu$ V
Maximal output level TV:	95 dB $\mu$ V
Isolation:	<ul style="list-style-type: none"><li>• Between inputs TV/SAT : &gt; 24 dB</li><li>• Between inputs SAT/TV : &gt; 60 dB</li><li>• Interpolarized H/V : &gt; 30 dB</li></ul>
Pre-amplifiers powering:	12 V DC / 150 mA
Power supply:	12 V DC / 1.5 A (power adapter included)
Dimensions:	190 x 290 x 40 mm
Weight:	0.88 kg
Manufacturer / Brand:	TELMOR
Guarantee:	2 years

## PRESENTATION

Top view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>  
POL; 60-713 Poznań; Graniczna 10  
e-mail: [delta-opti@delta.poznan.pl](mailto:delta-opti@delta.poznan.pl); tel: +(48) 61 864 69 60



Connectors:





In the kit:



## PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------